



Australian Government

Australian Digital Health Agency



HIPS

Initial and Clean Installation Guide (Core)

7 November 2016

V6.1

Approved for external use

Australian Digital Health Agency

Level 25, 56 Pitt Street

Sydney, NSW 2000

Australia

www.digitalhealth.gov.au

Acknowledgements**Council of Australian Governments**

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

HL7 International

This document includes excerpts of HL7™ International standards and other HL7 International material. HL7 International is the publisher and holder of copyright in the excerpts. The publication, reproduction and use of such excerpts is governed by the HL7 IP Policy (see <http://www.hl7.org/legal/ippolicy.cfm>) and the HL7 International License Agreement. HL7 and CDA are trademarks of Health Level Seven International and are registered with the United States Patent and Trademark Office.

Disclaimer

The Australian Digital Health Agency ("the Agency") makes the information and other material ("Information") in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2016 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

Document information

Key information

Owner	Executive General Manager Innovation and Development
Date of next review	[Next scheduled date of review]
Contact for enquiries	Australian Digital Health Agency Help Centre t: 1300 901 001 e: help@digitalhealth.gov.au

Product version history

Product version	Date	Release comments
1.0	February 2014	Initial release (HIPS 4.1.0).
2.0	February 2015	See release note (NEHTA-2040:2015) for details of changes and bug fixes.
2.0.1 2.0.2		Unpublished updates.
2.0.3	February 2016	See release note (NEHTA-2185:2016) for details of changes and bug fixes.
6.0.0	March 2016	See release note (NEHTA-2263:2016) for details of changes and bug fixes.
6.1	November 2016	See release note (DH-2445:2016) for details of changes and bug fixes.

Table of contents

1. Important Information	6
1.1 System Environments	6
1.2 Global Unique UUID	6
2. Introduction	7
2.1 Purpose	7
2.2 Scope.....	7
2.3 Assumptions	7
2.4 Definitions and Acronyms	7
3. Prerequisites	9
3.1 Build HIPS Products from Source Code	9
3.2 Registration to HI Service Vendor Test Environment.....	9
3.3 Registration to Digital Health Record SVT Environment.....	10
3.4 Application Server Operating Environment	11
3.5 Database Operating Environment	12
3.6 Active Directory Service Account	12
4. Database Preparation	13
4.1 Install SQL Server 2008 R2	13
4.2 Create the PCEHR Data Store Database	13
4.3 HIPS Active Directory Service Account Access	13
4.4 Configure and execute the PCEHR Data Store Scripts	13
5. Application Server Operating System Preparation	17
5.1 Prepare HIPS IIS Application Pool Account	19
5.2 Certificate Installation – NASH HPI-O Certificate (My Health Record System)	19
5.3 Certificate Installation – DHS Site Certificate (HI Service).....	19
6. Application Server Site Installation	21
6.1 Removing an earlier HIPS version for a new installation.....	22
6.2 Installing the new web site and application	22
7. Application Server Self-Signed SSL Certificate.....	25
8. HIPS Operation Queue - MSMQ Configuration.....	26
8.1 My Health Record System Queue	26
8.2 Ack Queue	26
8.3 Permissions.....	26
9. Web Configuration Setup.....	28
10. Application Server Code Installation	32
11. Confirm Installation.....	33
11.1 Confirm Available Web Services.....	33
12. Mirth Connect Installation and Set Up	35

12.1 Channel Installation 35

Appendix A Application Server Configuration Explanation 38

1. Important Information

It is important to note that this installation document has been written as an installation guide for both a test or production environment of the HIPS product suite. The scripts and configuration files have been provided for both SVT (software vendor testing) and production environments.

1.1 System Environments

This installation guide is targeted at the system test environment ("SYSTEST"). A profile of this installation guide should be created for each system environment that is to be created. Suggested values for each environment are given below:

Environment	Database Name	App Site
Production	PcehrDataStoreProd	PROD
Pre-Production	PcehrDataStorePreProd	PREPROD
System Test	PcehrDataStoreTest	SYSTEST
Development	PcehrDataStoreDvlp	DEV

1.2 Global Unique UUID

An instance identifier may be of the UUID form or an object identifier (OID) form. The algorithm for creating a UUID ensures the uniqueness of the identifier whereas the OID form requires the software to have the logic to ensure uniqueness. The CDA documents use the OID option where achieving a unique document identifier relies on the value of the extension attribute being unique within the healthcare provider organisation. Here is an example:

```
<id extension="2143" root="1.2.36.1.2001.1005.49.1.8003621566687292.2143" assigningAuthorityName="HIPS DHSITESTORG46 Doc"/>
```

According to the data types specification "The root and extension scheme means that the concatenation of root and extension shall be a globally unique identifier for the item that this value identifies".

To ensure global uniqueness across an organisation do not configure the same HPI-O in more than one HIPS Core database.

2. Introduction

HIPS is a communications solution to enable Patient Administration Systems and Clinical Information Systems to interact with the National My Health Record System.

The solution can interface with an Enterprise Service Bus (ESB) or other integration systems to receive HL7 V2 records from the PAS/LIS/RIS systems for patient and episode information and IHI lookups, and CDA documents from the clinical systems for upload to the national digital health record system.

If Mirth Connect is set up and configured then the solution can also accept HL7 V2 messages for Pathology and Diagnostic Imaging report documents. The solution can also be used as a broker to the digital health record system without the need of an interface to an ESB for upload and retrieval of documents from the national digital health record system.

The HIPS Release 6.1 has been through system testing, performance testing and Agency Conformance Assessment Process (CAP).

2.1 Purpose

The purpose of this document is to provide the technical details and steps required to install the 6.1 version of the HIPS product suite.

It can be used by health facilities to install the HIPS product suite into a targeted environment.

This document describes the prerequisites and steps that are required for the HIPS product suite to be installed for the first time (clean installation).

2.2 Scope

This document covers prerequisites required for the targeted environment, the database server preparation and application server operating system preparation. The document will then go on to describe the steps required for the installation of the HIPS on the database server and application server(s).

This document does not describe any functional requirements or features of the HIPS product suite as these are covered by other documentation.

2.3 Assumptions

The following assumptions have been made during the development of this document:

- The user carrying out the installation has server administration access to the targeted database server and application server(s).
- The facility installing the HIPS product suite has appropriate software versions and server operating systems.

2.4 Definitions and Acronyms

Item	Definition
PAS	Patient Administration System
LIS	Laboratory Information System
RIS	Radiology Information System
ESB	Enterprise Service Bus
CAP	Conformance Assessment Process
CIS	Clinical Information System

Item	Definition
HPI-O	Health Provider Identifier - Organisation
MLLP	Minimal Lower Layer Protocol used to transport HL7 messages

3. Prerequisites

This section outlines the major prerequisites that an implementer will need to obtain before implementing HIPS in either a test or production environment.

3.1 Build HIPS Products from Source Code

If you are building the HIPS products from supplied source code product, then refer to the *HIPS Release 6.1 Build Guide* for instructions on building the binaries and associated files required for each of the HIPS Products. This must be completed before the installation of HIPS v6.1 can commence.

3.2 Registration to HI Service Vendor Test Environment

For CCA testing of the integrated CIS, you will need to arrange access to the test environment. The HI Service Registration Form which is submitted to Medicare as part of the registration process must include the details of the HIPS product which are stored within the application configuration file. These settings are explained further in *Appendix A*

Application Server Configuration Explanation.

The Medicare site certificate gives access to the HI Service Vendor Test Environment.

If creating the product from the HIPS source code solution and not the pre-compiled HIPS binaries then the compiled binaries produced from the source code need to be registered as a product with the product name, version and vendor details to be able to identify itself to the HI Service. The table below states the HI Service Registration Form Fields and what application configuration setting field this should be mapped to.

Field	Description	Application Configuration Setting
Vendor ID	The registered product Vendor ID	IhiVendorId
Product Name	The registered Product Name	IhiProductName
Product Version	The registered product version number	IhiProductVersion

3.3 Registration to Digital Health Record SVT Environment

In order to test any national digital health record features, the organisation will need to obtain a NASH HPI-O Test Certificate that gives access to the national digital health record Software Vendor Testing (SVT) Environment.

If creating the product from the HIPS source code solution and not the pre-compiled HIPS binaries then the compiled binaries produced from the source code need to be registered as a product with the product name, version and vendor details to be able to identify itself to the My Health Record Service. The table below states the My Health Record Service Registration Form Field and what application configuration setting field this should be mapped to. These settings are explained further in *Appendix A*

Application Server Configuration Explanation.

Field	Description	Application Configuration Setting
Vendor	The registered Product Vendor Name	PcehrVendorId
Product Name	The registered Product Name	PcehrProductName
Product Version	The registered product version number	PcehrProductVersion

3.4 Application Server Operating Environment

To install the HIPS application server, the organisation may:

- Install on an existing workstation or notebook computer with a Windows 7 operating system. This setup is suitable for evaluation only.
- Install on a provisioned Windows Server 2008 R2 operating environment with Internet Information Services (IIS) 7.5 and Microsoft .NET Framework 4.5 installed.

3.5 Database Operating Environment

To install the PCEHR Data Store database, the organisation may:

- Use available capacity on an existing Microsoft SQL Server 2008 R2 database server. This setup is suitable for development and testing environments, but may have insufficient capacity for the production environment.
- Install Microsoft SQL Server 2008 R2 onto the same operating environment as the application server. This setup is suitable for development and testing environments, but may have insufficient capacity for the production environment.
- Provision a separate Windows Server 2008 R2 operating environment and install Microsoft SQL Server 2008 R2. This setup is preferable for the production environment.

3.6 Active Directory Service Account

HIPS uses Active Directory to secure its internal connections and it is recommended that an AD service account is used (one that does not expire and will not lock). This will be called the “HIPS AD Service account user” for the remainder of the document.

4. Database Preparation

4.1 Install SQL Server 2008 R2

If not already installed, install SQL Server 2008 R2 on the database server.

1. For greater performance the tempdb should be installed on a different partition to the data files. Size the tempdb to 5GB as the application will need enough processing space for performance reasons.

4.2 Create the PCEHR Data Store Database

1. On the database server create a new database using the database name suggested in section 1.1 System Environments (example PcehrDataStoreTest) with the following settings:
2. Add a new Filegroup (in the Filegroups tab) called INDEXES (leave the PRIMARY as the default).
3. For the database files (these are recommended minimum sizes):
 - a. For greater performance it is recommended that the Rows Data, Log Data and Index Data should be located on different disc partitions or SAN LUNs.
 - b. The initial data store rows data (PcehrDataStoreTest) with PRIMARY file group requires an initial size of 1024MB, with an auto growth of 250MB and unrestricted file growth.
 - c. The initial Log (PcehrDataStoreTest_log) requires an initial size of 500MB, with an auto growth of 10% and unrestricted file growth.
 - d. A new database file is required and is to be named PcehrDataStoreTest_Index (or appropriate name based on system environment setup) (Rows Data) with the INDEXES file group and requires an initial size of 500MB, with an auto growth of 250MB and unrestricted file growth.

4.3 HIPS Active Directory Service Account Access

Add the HIPS AD Service account user to the SQL Server and assign it db_datareader and db_datawriter to the new PcehrDataStore database.

4.4 Configure and execute the PCEHR Data Store Scripts

1. In the folder “\HIPS Core Database\HIPS_Core\6_1_0_scripts” there are 12 SQL script files.
2. Open the “02_HIPS_Roles.sql” script and replace both the ‘***HIPS AD Service account user***’ with the domain and name of the HIPS AD Service account user
3. The “08_HIPS_HealthProviderOrganisation-Data.sql” script populates the HealthProviderOrganisation table with information about the HPIO, Organisational name and the HI Service and My Health Record Service Certificate Serial numbers. This table is used to store references to all the certificates that HIPS will use. Make the following changes in the script (being mindful of whether you are creating this script for SVT or Production):
 - a. Replace the ‘HPI-O-A’ text with the HPI-O for the Healthcare Provider Organisation.
 - b. Replace the ‘OU:SVT-Name A’ text with the name of the Healthcare Provider Organisation.
 - c. Replace the ‘Hi Cert Serial’ text with the serial number from the DHS Site PKI Certificate for the Healthcare Provider Organisation or Contracted Service Provider (CSP). If using a CSP certificate, change the value for ‘HiCsp’ from 0 to 1.

- d. Replace the 'PCEHR Cert Serial A' text with the serial number from the NASH PKI Certificate for the Healthcare Provider Organisation or Supporting Organisation. If using a Supporting Organisation certificate, change the value for 'PcehrCsp' from 0 to 1.
- e. Replace the 'HPO Cert Serial' text with the serial number from the NASH PKI Certificate for the Healthcare Provider Organisation. This certificate is required to create the digital signature when uploading documents.

NOTE: It is possible for HIPS to accommodate the use of multiple Health Provider Organisations and certificates. This can be done by updating the second insert statements within the script and following the above steps for another health provider organisation. As an organisation will commonly have only one Medicare HI Service Certificate then the serial number for this will be duplicated on each row. Repeat the insert statement for as many Health Provider Organisations as necessary. If only one health provider organisation is to be set up for this instance of HIPS delete the second insert statement before running the script.

- 4. The '11_HIPS_HospitalTemplate-eHISC.sql' script is used as a template to create the Laboratory Information System (LIS) or Radiology Information System (RIS) with its mandatory Address record, phone and fax number and link to HospitalCode. If multiple hospitals (facilities) are required then this script can be copied and modified for each facility.
To create a hospital for your organisation, edit the '11_HIPS_HospitalTemplate-eHISC.sql' script and replace the following:

- a. "HIPS Hospital" Description column: Replace this with the full name of the Hospital/Facility (e.g. Royal Adelaide Hospital).
- b. "HIPS Hospital" Name column: Replace this with the localised description of the Hospital/Facility, which can be either a long or short name (e.g. RAH)
- c. "OMO Name" AuthorisedEmployeeName column: Replace this with the name of the person who within your organisation has the authority to make calls to the My Health Record System. This is not specified by the My Health Record System access, however it will be added to the audit records on the My Health Record System that are visible to the System Operator and NIO (National Infrastructure Operator) of the My Health Record System. For example, this may be the CIO of your organisation.
- d. "AEUID" AuthorisedEmployeeUserId column: Replace this with the identifier or username of the person who within your organisation has the authority to make calls to the My Health Record System.
- e. Replace the values of the [AddressLine1], [AddressLine2], [PlaceName], [AustralianStateId], [Postcode] with the address of the facility. NOTE that the AddressLine2 and PlaceName are not required values and may be set to NULL.
- f. Replace the Contact.Detail main phone number value (as '(08) 8888 6666' in the script) with the main phone number of the Hospital/Facility. This has a [ContactMethodId] of 6 which is the "Work Phone".
- g. Replace the Contact.Detail fax number value (as '(08) 8888 7777 in the script) with the facsimile number of the Hospital/Facility. This has a [ContactMethodId] of 7 which is the "Work Fax".
- h. After editing the Hospital, Address and Contract details they must be linked to the HospitalAddress and HospitalContact table.
 - i. HospitalAddress: This is done by editing the HospitalId and AddressId of the HospitalAddress record with the HospitalId from the Hospital record and AddressId from the Address record within the script.

- ii. HospitalContact: This is done by editing the HospitalId and ContactId of the HospitalContact record with the HospitalId from the Hospital record and ContactId from the Contact record for both the main phone number and facsimile number within the script.
- i. To create HospitalCode relationships replace “*HPI-O*” with the Hospital HPI-O value and “*HOSPITAL-CODE*” with short code for the hospital in question (e.g. Royal Adelaide Hospital is set as ‘RAH’) and replace the HospitalId in the HospitalCode record with the Hospital record within the script.

It is a requirement for HIPS that the code that represents the hospital (facility) in HL7 messages needs to be linked to the hospital in the HospitalCode Table for the CodeSystem with code ‘pasFacCd’. If the Pathology and Diagnostic Imaging functionality is used, then a code that represents LIS/RIS needs to be linked to the hospital (facility) in the HospitalCode Table for the CodeSystem with code “patientIdAuthCd”.

(See the “HIPS Release 6.1 - Module – Core” for additional details on the DatabaseLoaderService and the values of the ‘mrnOid’, ‘doctorOid’ and ‘isaacFacCd’ for other hospitals).

5. Assisted Registration Visitor Hospitals

- a. If you **ARE** planning to install and use Assisted Registration from the HIPS-UI Web package, then it is essential that the “12_HIPS_AssistedRegistration_Data.sql” script is executed **AFTER** the Hospital data and HealthProviderOrganisation has been committed. This script will take the HealthProviderOrganisation HPI-O records and create “Visitor” hospitals from the HPIO(s); this is required when an individual is to be registered with the My Health Record System and HIPS does not know whether or not the individual has a current episode in the hospital – hence the term “Visitor”.
- b. If you **ARE NOT** planning to install and use Assisted Registration from the HIP-UI package, then “12_HIPS_AssistedRegistration_Data.sql” will **NOT** need to be executed.
- c. Note that “12_HIPS_AssistedRegistration_Data.sql” can be executed multiple times if necessary as it will update the relevant records as well as inserting any newer additions.

6. These scripts then need to be executed **in order**:

- a. 01_HIPS_Schema.sql
- b. 02_HIPS_Roles.sql
- c. 03_HIPS_TableScript.sql ****Note this must be run twice due to dependencies within the script**
- d. 04_HIPS_ViewScript.sql ****Note this must be run twice due to dependencies within the script**
- e. 05_HIPS_TriggerScript.sql ****Note this must be run twice due to dependencies within the script**
- f. 06_HIPS_CodeScript.sql ****Note this must be run twice due to dependencies within the script**
- g. 07_HIPS_PermissionScript.sql
- h. 08_HIPS_HealthProviderOrganisation-Data.sql **** (See 4.4-3 above to configure first)**
- i. 09_HIPS_Reference_Data_Preload.sql
- j. 10_HIPS_Indexes.sql

- k. 11_HIPS_HospitalTemplate.sql ** **(See 4.4-4 above to configure first)**
 - l. 12_HIPS_AssistedRegistration_Data.sql ** **ONLY IF REQUIRED (See 4.4-5 above for more details)**
- 7. In the folder “\HIPS_Core\4_2_0_to_6_1_0_Upgrade” and application named “HIPS.PcehrDataStore.DBUpgrade.exe” which will run all necessary scripts to upgrade the database from HIPS 4.2.0 (eHISC 2.0.3) to 6.1.
- 8. Open the “HIPS.PcehrDataStore.DBUpgrade.exe.config” and changed the DatabaseConnection property to point to the newly created PcehrDataStore.
- 9. Open up a command prompt and change the directory to be the directory which contains the HIPS.PcehrDataStore.DBUpgrade.exe application.
- 10. Run the application. If the script was successful, a green ‘Success!’ notice should be displayed. Any errors will be display in red.
- 11. If the PDI functionality is to be used to upload Pathology or Diagnostic Imaging Reports to the National My Health Record System, then the following SQL script should be run to create the RIS/LIS System Code and assign it to each Health Facility created above.
 - a. Under the “\HIPS Core Database\4_2_0_to_6_1_0_Upgrade\ConfigurationScripts” folder open the “01_PDI_HospitalCode-eHISC.sql” file.
 - b. Update the *RIS/LIS SYSTEM* text to be the system code that will be contained in the HL7 message PID-3 field, i.e. ‘NATA’ or ‘LSPN8234’.
 - c. If more than one Health Facility or Laboratory was added, then copy and paste the insert statement for each HospitalId created in Step 6 (k) above.
 - d. Execute the script.
- 12. This completes the Database setup.

5. Application Server Operating System Preparation

The following steps are for installation on the assigned HIPS application server on a Windows 2008 R2 Server.

1. Ensure that Microsoft .NET Framework v4.5 is installed
2. Under the Server Manager “Features” enable the following items (as well as any default settings):
 - Message Queuing
 - Message Queuing Services
 - Message Queuing Server
 - Directory Service Integration
 - HTTP Support
 - Windows Process Activation Service
 - Process Model
 - .NET Environment
 - Configuration APIs
 - .NET Framework 3.5.1 Features
 - Net Framework 3.5.1
 - WCF Activation
 - HTTP Activation
 - Non-HTTP Activation
 - Remote Server Administration Tools
 - Role Administration Tools
 - Web Server (IIS) Tools

NOTE: Restart may be required.

NOTE: If Message Queuing Services has already been installed on an existing server but Directory Service Integration was not installed then simply checking the Directory Service Integration may not correctly install the service, due to a known issue with MSMQ configuration. Uninstalling Message Queuing Services and reinstalling with Directory Service Integration (and other items as above) has been known to resolve this issue if it occurs.

3. Under the Server Manager “Roles” enable the following items for the Web Server (IIS) (as well as any default settings):
 - Web Server
 - Common HTTP Features
 - Static Content
 - Default Content
 - Directory Browsing

- HTTP Errors
 - HTTP Redirection
 - Application Development
 - ASP.NET
 - .NET Extensibility
 - Health and Diagnostics
 - HTTP Logging
 - Logging Tools
 - Request Monitor
 - Tracing
 - Security
 - Basic Authentication
 - Windows Authentication
 - Client Certificate Mapping Authentication
 - IIS Client Certificate Mapping Authentication
 - URL Authorization
 - Request Filtering
 - IP and Domain Restrictions
 - Performance
 - Static Content Compression
 - Dynamic Content Compression
 - Management Tools
 - IIS Management Console
 - IIS Management Scripts and Tools
 - Management Service
4. Under the Servers Services, ensure that the following items are set to Automatic start up:
- Net.Tcp Listener Adapter
 - Net.Tcp Port Sharing Service
 - Net.Msmq Listener Adapter
5. Ensure that PowerShell is installed
6. Start PowerShell as Administrator and execute commands:
- ```
Get-ExecutionPolicy
```
- ```
Set-ExecutionPolicy Unrestricted
```
- ```
Get-ExecutionPolicy
```
- Record the initial value, and ensure that the final value is Unrestricted. This will ensure that the unsigned PowerShell scripts used in Section 6 can run. The execution policy can be set back to the original value after the installation scripts have run.

## 5.1 Prepare HIPS IIS Application Pool Account

The HIPS service will execute using the account set in the IIS Application Pool.

1. On the HIPS Application Server check that the HIPS AD Service account user is added to the local server group **IIS\_IUSRS**.

## 5.2 Certificate Installation – NASH HPI-O Certificate (My Health Record System)

Follow these steps to install the NASH PKI Certificate for Healthcare Provider Organisations that is supplied by DHS for connection to the My Health Record B2B Services.

1. Start the Microsoft Management Console
  - a. Start – Run – Type “mmc” – OK.
2. Add the Certificates snap-in to access the Local Machine stores
  - a. Navigate to File – Add/Remove Snap-In – Certificates – Add – Computer Account – Next – Finish – OK.
3. Import the HPI-O certificate into the Local Computer, Personal store.
  - a. Right-click on the Personal store and select All Tasks – Import from the menu
  - b. Click Next and Browse to open the file browser dialogue
  - c. Select type Personal Information Exchange (\*.pfx, \*.p12)
  - d. Select the fac\_sign.p12 file
  - e. Enter the password for the certificate.
  - f. Ensure that “Place all certificates in the following store” and “Personal” is selected.
  - g. Click Next and Finish to complete the task.
  - h. If more than one certificate, due to multiple Health Provider Organisations, then repeat steps a-g for each certificate.
4. Set permissions for the My Health Record System HPI-O certificate to allow the HIPS application account to access its private key.
  - a. Select the Certificates folder under the Personal store for the Local Computer
  - b. Right-click on newly imported certificate and select All Tasks – Manage Private Keys from the menu.
  - c. Click Add, type the name of the HIPS AD Service account user and click OK.
  - d. Ensure the Allow check boxes are ticked for the Full control and Read rows.
  - e. Click OK to close the dialogue box.
  - f. If more than one certificate, due to multiple Health Provider Organisations, then repeat steps a-e for each certificate.

## 5.3 Certificate Installation – DHS Site Certificate (HI Service)

If your integration strategy is to supply pre-validated IHI numbers to HIPS and disable the built-in IHI search / validation functionality, then this step may be skipped. If you are using the DatabaseLoaderService then this is an essential step.

Follow these steps to install the DHS Site PKI Certificate (or DHS HI Network Organisation PKI Certificate) that is supplied by DHS for connection to the HI Service B2B Services.

1. Start the Microsoft Management Console
  - a. Start – Run – Type “mmc” – OK.
2. Add the Certificates snap-in to access the Local Machine stores
  - a. Navigate to File – Add/Remove Snap-In – Certificates – Add – Computer Account – Next – Finish – OK.
3. Import the certificate into the Local Computer, Personal store.
  - a. Right-click on the Personal store and select All Tasks – Import from the menu
  - b. Click Next and Browse to open the file browser dialogue
  - c. Select type Personal Information Exchange (\*.pfx, \*.p12)
  - d. Select the fac\_sign.p12 file
  - e. Enter the password for the certificate.
  - f. Ensure that “Place all certificates in the following store” and “Personal” is selected.
  - g. Click Next and Finish to complete the task.
4. Set permissions for the certificate to allow the HIPS application account to access its private key.
  - a. Select the Certificates folder under the Personal store for the Local Computer
  - b. Right-click on the imported Medicare Certificate (issued by “Medicare Australia Organisation Certification Authority”) and select All Tasks – Manage Private Keys from the menu.
  - c. Click Add, type the name of the HIPS AD Service account user and click OK.
  - d. Ensure the Allow check boxes are ticked for the Full control and Read rows.
  - e. Click OK to close the dialogue box.

## 6. Application Server Site Installation

Copy all the code from the “HIPS\_AppServer” folder in the provided package to a suitable location on the application server.

The directory “\HIPS\_AppServer\ps\_scripts” contains the main installation PowerShell script AppSiteCreateSSL.ps1 and the environment-specific configuration script HIPS\_BuildAppSites.ps1.

Open the “HIPS\_BuildAppSites.ps1” script and edit as following:

1. The default location for the Application Files is under the “D:\Projects\HIPS\_TEST\” directory, this can be changed in **both** the AppSitePath and AppServerPath entires in this script (keeping the ‘blank’ and ‘Build’ text).  
It is recommended that the Application Files are not on the same drive as the system drive, however this may depend on the server configuration and will not affect performance.
2. Replace the “Domain\ServiceUserName” (in the ProcessUserName item) with the HIPS AD Service account user.
3. Replace the “ProcessPassword” with the password of the HIPS AD Service account user.

The code will be installed beneath the directory “AppSitePath”, which will be created when the PowerShell scripts are run.

The following table indicate the settings in HIPS\_BuildAppSites.sql for the System Testing environment:

| Option Name      | Suggested Value              | Description                                                                                                                                                                        |
|------------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -AppSiteName     | HIPS_TEST                    | An IIS site will be created with this name.                                                                                                                                        |
| -AppSitePath     | D:\Projects\HIPS_TEST\blank  | The IIS site will be served from this directory, which should be empty.                                                                                                            |
| -AppPoolName     | HIPSServerAppPool_TEST       | An IIS application pool will be created with this name                                                                                                                             |
| -ProcessUserName | <i>domain\serviceaccount</i> | HIPS will run under this user account<br>(Note: this is the same account that was given permissions in the SQL database)                                                           |
| -ProcessPassword | <b>Password</b> within file  | Password for the user account above                                                                                                                                                |
| -HTTPBinding     | 50500                        | The web services will be accessible using HTTP protocol on this port.                                                                                                              |
| -NETTCPBinding   | 50000                        | The web services will be accessible using net.tcp protocol on this port.                                                                                                           |
| -HTTPSBinding    | 50443                        | The web services will be accessible using HTTPS protocol on this port.                                                                                                             |
| -NETMSMQBinding  | Localhost                    | The service will be using an internal MSMQ service on the local host                                                                                                               |
| -AppServerName   | HIPSServer_TEST              | An IIS application will be created using this name, within the above site.                                                                                                         |
| -AppServerPath   | D:\Projects\HIPS_TEST\Build  | The IIS application will be served from this directory, which should contain the svc files, Web.config file and bin directory. The bin directory should contain all the DLL files. |
| Out-File         | “HIPS_TEST_Creation.log”     | The setup process will be logged to a file with this name.                                                                                                                         |

## 6.1 Removing an earlier HIPS version for a new installation

**\*\*\*If you are installing Release 6.1 onto a server running an earlier release and you are NOT performing an upgrade, then the existing web site MUST be removed first.**

Follow these steps to remove the old web site and application:

1. From the File Explorer take a backup of the entire site content under "D:\Projects\HIPS\_TEST" (or where ever the existing version of HIPS resides) and move it to a safe location.
2. Open IIS Manager and right-click on the "HIPS\_TEST" (or whatever the existing version of HIPS is named) site
3. Select "Remove" from the context menu and accept the removal.
4. Also within the IIS Manager navigate to the Application Pools and right-click the "HIPSServerAppPool\_TEST" application pool (or whatever the existing version of the HIPS application pool is named).
5. Select "Remove" from the context menu and accept the removal.
6. Open a command window as an administrator and type in "iisreset".
7. Go back to the File Explorer under "D:\Projects\" and delete the entire "HIPS\_TEST" (or where ever the existing version of HIPS resides) directory.
8. This has now cleaned the server ready for the new implementation.

## 6.2 Installing the new web site and application

**Follow these steps to install the new web site and application:**

1. Start PowerShell as Administrator
2. Change to the directory containing the build scripts  
(\"HIPS\_AppServer\ps\_scripts\")
3. Execute command:  
`./HIPS_BuildAppSites.ps1`

Check the on-screen output and the log file "HIPS\_TEST\_Creation.log" (or the name of the Out-File as set in section 6) to ensure that the installation completed successfully.

Test the configuration in IIS Manager by navigating to the IIS Site – Application Settings – Basic Settings – Test Settings. The result should be similar to the figure below. If Authorisation fails then ensure that the account used above has read and write access to the folder and subfolders, where the application is installed (i.e. "D:\Projects\HIPS\_TEST")




Figure 1 – IIS Connection Test Results

The following must also be applied to the Application Pool HIPServerAppPool\_TEST.

Select the HIPSServerAppPool\_TEST application pool and click the “Advanced Settings”

1. Set the “Queue Length” to **2000**
2. Under the “Generate Recycle Event Log Entry” set all sub values to True (as indicated in the image below)
3. Check the “Regular Time Interval (minutes)” is set to **1740**.

**Advanced Settings**

|                                             |                        |
|---------------------------------------------|------------------------|
| <b>(General)</b>                            |                        |
| .NET Framework Version                      | v4.0                   |
| Enable 32-Bit Applications                  | False                  |
| Managed Pipeline Mode                       | Integrated             |
| Name                                        | HIPSServerAppPool_TEST |
| Queue Length                                | 2000                   |
| Start Automatically                         | True                   |
| <b>CPU</b>                                  |                        |
| Limit                                       | 0                      |
| Limit Action                                | NoAction               |
| Limit Interval (minutes)                    | 5                      |
| Processor Affinity Enabled                  | False                  |
| Processor Affinity Mask                     | 4294967295             |
| <b>Process Model</b>                        |                        |
| Identity                                    | [REDACTED]             |
| Idle Time-out (minutes)                     | 1440                   |
| Load User Profile                           | True                   |
| Maximum Worker Processes                    | 1                      |
| Ping Enabled                                | True                   |
| Ping Maximum Response Time (seconds)        | 90                     |
| Ping Period (seconds)                       | 30                     |
| Shutdown Time Limit (seconds)               | 90                     |
| Startup Time Limit (seconds)                | 90                     |
| <b>Process Orphaning</b>                    |                        |
| Enabled                                     | False                  |
| Executable                                  |                        |
| Executable Parameters                       |                        |
| <b>Rapid-Fail Protection</b>                |                        |
| "Service Unavailable" Response Type         | HttpLevel              |
| Enabled                                     | True                   |
| Failure Interval (minutes)                  | 5                      |
| Maximum Failures                            | 5                      |
| Shutdown Executable                         |                        |
| Shutdown Executable Parameters              |                        |
| <b>Recycling</b>                            |                        |
| Disable Overlapped Recycle                  | False                  |
| Disable Recycling for Configuration Changes | False                  |
| Generate Recycle Event Log Entry            |                        |
| Private Memory Limit (KB)                   | 0                      |
| Regular Time Interval (minutes)             | 1740                   |

**.NET Framework Version**  
 [managedRuntimeVersion] Configures the application pool to load a specific version of the .NET Framework. Selecting "No Managed Code" will cause all ASP.NET requests to fail.

OK Cancel

Figure 2 - Application Pool Settings



## 7. Application Server Self-Signed SSL Certificate


HIPS can be configured to use HTTP or HTTPS connectivity.

A risk assessment of the HIPS solution has resulted in a recommendation that all traffic between HIPS and internal applications should occur using an encrypted connection, i.e. using HTTPS rather than HTTP. However, this is not essential to the connectivity of HIPS, so if your datacentre allows HTTP communications between applications within the datacentre then this is also possible.

While it is possible to use an internal PKI certificate service, or a commercial certificate, a Self-Signed SSL certificate is also considered an acceptable solution for communication between internal applications and HIPS.

A self-signed certificate may be configured via the steps below:

1. Select the main IIS instance of the application server and double-click the “Server Certificates” icon.
2. On the far right-click the action “Create Self-Signed Certificate...”
3. Specify a friendly name as “HIPS\_TEST\_CERT” and click OK.
4. To apply the self-signed certificate - Select the “HIPS\_TEST” site and in the far right select the “Bindings...” action.
5. Select the “https” row from the “Site Bindings” dialogue and click “Edit”.
6. In the “Edit Site Bindings” dialogue, select the “HIPS\_TEST\_CERT” from the “SSL Certificate” drop down and click OK.



7. Close the “Site Bindings” dialogue.

## 8. HIPS Operation Queue - MSMQ Configuration

The HIPS services for uploading, superseding and removing documents to the My Health Record System are implemented using a one-way operation model, also known as fire-and-forget. HIPS uses Microsoft Message Queuing (MSMQ) to guarantee transactional, first-in first-out processing for all document upload and document removal operations.

### 8.1 My Health Record System Queue

Follow these steps to create the transactional MSMQ My Health Record System queue for HIPS.

1. On the HIPS Application Server open the “Server Manager” and under “Features” expand “Message Queuing”.
2. Right-click Private Queues and select New > Private Queue.
3. Enter the name of the queue as “**hipsserver\_test/hips.service.pcehrqueue.svc**”.

**NOTE:** if the site name has been modified something other than **hipsserver\_test** then the above must be changed to reflect this and must also be changed within the web.config file.

4. Check the Transactional box, and click OK.
5. Right-click the new Queue item create and select Properties.
  - a. In the General Tab - Check the Enabled box in the Journal area
  - b. In the Security Tab - Add in the HIPS application account and check Full Control.
  - c. Then click OK.

### 8.2 Ack Queue

Follow these steps to create the transactional MSMQ Ack queue for HIPS.

1. On the HIPS Application Server open the “Server Manager” and under “Features” expand “Message Queuing”.
2. Right-click Private Queues and select New > Private Queue.
3. Enter the name of the queue as “**hipsserver\_test/hips.service.ackqueue.svc**”.

**NOTE:** if the site name has been modified something other than **hipsserver\_test** then the above must be changed to reflect this and must also be changed within the web.config file.

4. Check the Transactional box, and click OK.
5. Right-click the new Queue item create and select Properties.
  - a. In the General Tab - Check the Enabled box in the Journal area.
  - b. In the Security Tab - Add in the HIPS application account and check Full Control.
  - c. Then click OK.

### 8.3 Permissions

The MSMQ storage folders must allow access to the HIPS application account so that messages can be placed on the private queue:

1. Expand “Features” and then “Message Queuing”.

2. Right-click on the "Message Queuing" item and select Properties.
3. In the Storage tab identify the Message file folders. The default setting is "<root\_drive>:\Windows\System32\msmq\storage".
4. Open Explorer and navigate to the root msmq folder ("<root\_drive>:\Windows\System32\msmq\").
5. Right-click on the "storage" folder and select Properties.
6. In the Security Tab - Add in the HIPS AD Service account user and check Full Control.
7. Then click OK.

## 9. Web Configuration Setup

In the “HIPS\_AppServer\binaries\” folder are 4 web.config files:

1. web.config.svt.http: **HTTP** web service connectivity into HIPS and for use against the **SVT** environment.
2. web.config.svt.https: **HTTPS** web service connectivity into HIPS and for use against the **SVT** environment.
3. web.config.prod.http: **HTTP** web service connectivity into HIPS and for use against the **PROD** environment.
4. web.config.prod.https: **HTTPS** web service connectivity into HIPS and for use against the **PROD** environment.

These sample configuration files for HIPS specify the use of HTTP Basic Authentication on top of HTTPS because of a specific integration requirement by some organisations. The HIPS application server can also be configured to use other authentication methods, including Windows NTLM Authentication or WS-Security authentication, which may be preferable if the calling systems can support these authentication methods, however these alternate configurations are not documented in this guide.

The following instructions can be used for any of the above configuration files.

(See *Appendix A*

*Application Server Configuration* Explanation on page 38 for more details on the items in the configuration file)

1. Open the configuration file for editing.
2. Replace the “DBServerName” in the connectionString with the name of the Database Server where the HIPS Database will reside.
3. Replace all references of the “AppServerName” to the name of the server where HIPS will be deployed (e.g. HLT111VMA000, also note that if your domain required FQDN then the full domain may also be used, e.g. HLT111VMA000.had.sa.gov.au )
4. Under the <system.serviceModel> <behaviours> tag a behaviour named “concurrentMetadataSupport” exists. This allows you to increase the number of concurrent calls that can be made to the PCEHRQueue service. The throttle for MaxConcurrentCalls affects the number of concurrent request threads the service can process. This setting should be approached with the idea of limiting the number of active threads to the PCEHRService, which allows you to do the math and estimate the number of requests that can be processed per second. **Note:** If the MaxConcurrentCalls is set to more than 1 then the ESB sending the message will need to be configured in such a way that the same patient is not sent in concurrently but in a sequential order to avoid documents being uploaded out of order.
5. In the appSettings change the IhiUserQualifierProviderIndividual to the user qualified domain in the format that is identified by DHS (e.g. for SA Health, <http://ns.sahealth.sa.gov.au/id/hi/userid/1.0>; for NT Health, <http://ns.health.nt.gov.au/id/hi/userid/1.0>, etc.). More information about the required parameters are discussed in Sections 3.1 and 3.2.
6. In the appSettings change the IhiUserQualifierHiUser to the user qualified domain in the format that is identified by DHS (e.g. for RightWell Health, <http://ns.rightwellhealth.org.au/id/{0}/userid/1.0>)
7. In the appSettings change the IhiUserQualifierAuthorisedEmployee to the user identifier supplied for the authorised employee for non-interactive processing (e.g. for RightWell Health, “<http://ns.rightwellhealth.org.au/id/ae/userid/1.0>”)
8. In the appSettings change the CdaUserIdQualifierFormat to the user identifier in the CDA signature file for CDA packaging (e.g. for RightWell Health, “<http://ns.rightwellhealth.org.au/id/cda/userid/1.0/{0}>”)
9. In the appSettings change the PathologyReportUploadLocation and ImagingReportUploadLocation to be a folder where HIPS should retrieve the Pathology and Diagnostic Imaging reports if a Reference Pointer is specified in the HL7 messages.
10. In the appSettings, if required, update the DiagnosticImagingReportDocumentFormatCode and PathologyReportDocumentFormatCode. See *Appendix A*

11. *Application Server Configuration* Explanation for further details.
12. In the appSettings update the HpiiValidationPeriodDays to the number of days your organisation prefers the number of days after Hpii validation for the Hpii to remain to be valid for.
13. The AckService web service in HIPS Core supports sending an application acknowledgement message after each pathology or diagnostic imaging document is successfully uploaded or failed to upload. The acknowledgment can be passed through Mirth to connect to an ESB or stored into a file in a configured location. If the acknowledgement is to be stored to into a file, in the appSettings update the FileLocation to a local folder. For more information about setting the Ackservice endpoint to Mirth please read Mirth Connect Installation section.

See *Appendix A*


*Application Server Configuration* Explanation for further details.

14. In the netMsmqBinding-binding are the following items:  
receiveRetryCount="3" maxRetryCycles="20000" retryCycleDelay="00:05:00"  
These are used for when there are connection errors and govern how often HIPS will retry. This has been configured to retry 3 times (between the connection attempt delays) and then wait for 5 minutes before trying again, it will then cycle this 2000 times before the message becomes a poisoned message. This can be altered if required, however, this setting will give a significant amount of time for connection errors to be addressed before the message queue will start skipping messages.
15. The appSetting of AvoidProxy has been set to **true so that outward external connections can bypass the standard proxy**, however, depending on your network and server configuration this may need to be set to **false** so that the outward external connections will use the **policy proxy settings of the HIPS AD Service account user**.

## 10. Application Server Code Installation

From the “HIPS\_AppServer” folder that was copied to the application server:

1. Ensure that the web.config that was used in the above step is renamed to simply “web.config”. For clarity, this must be the same file that was modified in steps 1 – 14 (Section 9).
2. Copy all \*.svc, \*.xml and \*.dll files and directories under the “HIPS\_AppServer\binaries” folder into the “D:\Projects\HIPS\_TEST\Build\” directory (or to your customised directory location) on the application server. Ensure that the modified web.config file is placed with the \*.svc files as below.



3. Ensure that there are 14 SVC files and a web.config file in this folder.
4. Ensure that there are 41 DLL files and 12 XML files under the “bin” folder.

**\*\*At this time it is reasonable to perform an iisreset while logged into a command prompt as an Administrator.**



## 11. Confirm Installation

### 11.1 Confirm Available Web Services

In a web browser, navigate to the following URLs and check that the page “You have created a service” appears:

#### For HTTP

- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.AckQueue.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.AckQueue.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.AckService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.AckService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.AssistedRegistrationService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.AssistedRegistrationService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.CdaService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.CdaService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.ConsentService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.ConsentService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.DatabaseLoaderService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.DatabaseLoaderService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.HiReferenceService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.HiReferenceService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.HpiiService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.HpiiService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.IHIService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.IHIService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.PatientService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.PatientService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.PcehrQueue.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.PcehrQueue.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.PCEHRService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.PCEHRService.svc)
- [http://servername:50500/HIPSServer\\_TEST/HIPS.Service.ReferenceService.svc](http://servername:50500/HIPSServer_TEST/HIPS.Service.ReferenceService.svc)

#### For HTTPS (NOTE: FQDN may be required)

- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.AckQueue.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.AckQueue.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.AckService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.AckService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.AssistedRegistrationService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.AssistedRegistrationService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.CdaService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.CdaService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.ConsentService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.ConsentService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.DatabaseLoaderService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.DatabaseLoaderService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.HiReferenceService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.HiReferenceService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.HpiiService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.HpiiService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.IHIService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.IHIService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.PatientService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.PatientService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.PcehrQueue.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.PcehrQueue.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.PCEHRService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.PCEHRService.svc)
- [https://servername:50443/HIPSServer\\_TEST/HIPS.Service.ReferenceService.svc](https://servername:50443/HIPSServer_TEST/HIPS.Service.ReferenceService.svc)




Figure 3 – IIS web service confirmation page

## 12. Mirth Connect Installation and Set Up

Mirth Connect is an optional component that can be set up and used to host the MLLP interfaces that connect to the HIPS SOAP web services to upload Pathology and/or Diagnostic Imaging Reports to the national digital health record system.

Mirth Connect is open-source-software that allows a HL7 message to be sent to Mirth Connect via MLLP from any ESB. The Mirth Connect software will then call the HIPS SOAP web services using the supplied HL7 message.

The configured Mirth Connect channels supplied as part of the release were built using Mirth Connect version 3.3.1 (64-bit).

Set up requirements and the Mirth Connect tool can be downloaded from the Mirth website:


<http://www.mirthcorp.com/community/wiki/display/mirth/Getting+Started+Guide>

If Mirth Connect is to be implemented to receive the HIPS Acknowledgement, this is the final acknowledgement that HIPS receives from the My Health Record Service when a Pathology or Diagnostic Imaging is uploaded, then an extra setting is required to be updated in the application configuration file. This is described in *Section 10 – Web Configuration Set Up*.

### 12.1 Channel Installation

To install the channels required for the Pathology and Diagnostic Imaging Report uploads:

1. Launch the Mirth Connect Administration tool
2. Open the **Channels** tab.
3. Under Channel tasks click on **Import Channel**.
4. Open the "Mirth\channels\" folder in the Core Software Package and select the "eHISC Acknowledgement to MLLP.xml". Click **Open**.
5. Repeat step 4 for each of the following channels:
  - a. MLLP to eHISC Diagnostic Imaging Upload.xml
  - b. MLLP to eHISC Notify PAS Event.xml
  - c. MLLP to eHISC Pathology Upload.xml
6. If you want to use the file drop functionality, that is where a HL7 message can be dropped into a folder to be consumed by Mirth then import the following channels:
  - a. Filedrop ADT to MLLP.xml
  - b. Filedrop Imaging to MLLP.xml
  - c. Filedrop Pathology to MLLP.xml
  - d. Filedrop Upload Ack from MLLP.xml
7. To configure the MLLP Channels to point to HIPS.
8. Open the "MLLP to eHISC Diagnostic Imaging Upload" Channel.
  - a. Select the **Source** tab.
    - i. Update the **Source** settings to listen on the Port for your Mirth configuration.
  - b. Select the **Destinations** tab.



- i. Update the **WSDL URL** to:

`http://[AppServerName]:[Port]/HIPS.Server.PCEHRService.svc?wsdl`

where [AppServerName] is the HIPS application server name and [Port] is the port number the HIPS web services are running on.

- ii. Update the **SOAP Envelope** details. Find the `<wsa:To>` element in the SOAP Envelope xml and update the AppServerName and Port to be the HIPS Application Server and Port.

....

`<wsa:To>http://[AppServerName]:[Port]/HIPS.Server.PCEHRService.svc/HIPS.Service.PCEHRServiceV2</wsa:To>`

...

- iii. Under the **Channel Tasks** menu, click **Save Changes**.

9. Click on the **Channels** menu item under the **Mirth Connect** menu.

10. Repeat steps 8 and 9 for the "MLLP to eHISC Pathology Upload" Channel.

11. Open the "MLLP to eHISC Notify PAS Event" Channel.

- a. Select the **Source** tab.

- i. Update the **Source** settings to listen on the Port for your Mirth configuration.

- b. Select the **Destinations** tab.

- i. Update the **WSDL URL** to:

`http://[AppServerName]:[Port]/HIPS.Server.PCEHRServiceV2/UploadOfImaging.svc?wsdl`

where [AppServerName] is the HIPS application server name and [Port] is the port number the HIPS web services are running on.

- ii. Update the **SOAP Envelope** details. Find the <wsa:To> element in the SOAP Envelope xml and update the AppServerName and Port to be the HIPS Application Server and Port.

....

```
<wsa:To>http://[AppServerName]:[Port]/HIPSServer_Test/HIPS.Service.DatabaseLoaderService.svc/HIPS.Service.PCEHRServiceV2</wsa:To>
```

...

- iii. Under the **Channel Tasks** menu, click **Save Changes**.

12. Copy the accept-ack-message.jar to the MIRTH\_HOME\custom-lib directory, then restart Mirth.

## THIS IS THE COMPLETION OF THE INSTALLATION OF HIPS

# Appendix A Application Server Configuration Explanation

The Web.Config should be pre-configured for each release, however this is a detailed explanation of the contents for configurators.

Most application-wide configuration options are held in the Web.config file in the application directory

| Section                 | Option Name         | Suggested Value                                   | Description                                                                                                                                                                                                                                                                                                             |
|-------------------------|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Connection String       | Data Source         | <i>Name of SQL server</i>                         | HIPS will attempt to connect to this SQL server.                                                                                                                                                                                                                                                                        |
|                         | Initial Catalog     | PcehrDataStoreTest                                | HIPS will use the database with this name.                                                                                                                                                                                                                                                                              |
|                         | Integrated Security | SSPI                                              | If set to SSPI as recommended, then HIPS will use the IIS application pool's Windows account credentials for authentication to the database.<br><br>Otherwise, and this is not recommended, set to false and provide a User ID and Password. This will only work if SQL Server Authentication is enabled on the server. |
| CDA Service             | baseAddress         | net.tcp://servername: <b>50000</b> /              | The CDA service will be accessible using net.tcp protocol at this URL.                                                                                                                                                                                                                                                  |
|                         | baseAddress         | http://servername: <b>50500</b> /CdaService/      | The CDA service will be accessible using HTTP protocol at this URL.                                                                                                                                                                                                                                                     |
|                         | baseAddress         | https://servername: <b>50443</b> /CdaService/     | The CDA service will be accessible using HTTPS protocol at this URL.                                                                                                                                                                                                                                                    |
| Consent Service         | baseAddress         | net.tcp://servername: <b>50000</b> /              | The Consent service will be accessible using net.tcp protocol at this URL.                                                                                                                                                                                                                                              |
|                         | baseAddress         | http://servername: <b>50500</b> /ConsentService/  | The Consent service will be accessible using HTTP protocol at this URL.                                                                                                                                                                                                                                                 |
|                         | baseAddress         | https://servername: <b>50443</b> /ConsentService/ | The Consent service will be accessible using HTTPS protocol at this URL.                                                                                                                                                                                                                                                |
| Database Loader Service | baseAddress         | net.tcp://servername: <b>50000</b> /              | The Database Loader service will be accessible using net.tcp protocol at this URL.                                                                                                                                                                                                                                      |

| Section             | Option Name | Suggested Value                                          | Description                                                                      |
|---------------------|-------------|----------------------------------------------------------|----------------------------------------------------------------------------------|
|                     | baseAddress | http://servername: <b>50500</b> /DatabaseLoaderService/  | The Database Loader service will be accessible using HTTP protocol at this URL.  |
|                     | baseAddress | https://servername: <b>50443</b> /DatabaseLoaderService/ | The Database Loader service will be accessible using HTTPS protocol at this URL. |
| IHI Service         | baseAddress | net.tcp://servername: <b>50000</b> /                     | The IHI services will be accessible using net.tcp protocol at this URL.          |
|                     | baseAddress | http://servername: <b>50500</b> /IHIService/             | The IHI services will be accessible using HTTP protocol at this URL.             |
|                     | baseAddress | https://servername: <b>50443</b> /IHIService/            | The IHI services will be accessible using HTTPS protocol at this URL.            |
| Pcehr Queue Service | baseAddress | net.tcp://servername: <b>50000</b> /                     | The Pcehr Queue services will be accessible using net.tcp protocol at this URL.  |
|                     | baseAddress | http://servername: <b>50500</b> /PcehrQueue/             | The Pcehr Queue services will be accessible using HTTP protocol at this URL.     |
|                     | baseAddress | https://servername: <b>50443</b> /PcehrQueue/            | The Pcehr Queue services will be accessible using HTTPS protocol at this URL.    |
| PCEHR Service       | baseAddress | net.tcp://servername: <b>50000</b> /                     | The PCEHR services will be accessible using net.tcp protocol at this URL.        |
|                     | baseAddress | http://servername: <b>50500</b> /PCEHRService/           | The PCEHR services will be accessible using HTTP protocol at this URL.           |
|                     | baseAddress | https://servername: <b>50443</b> /PCEHRService/          | The PCEHR services will be accessible using HTTPS protocol at this URL.          |
| Reference Service   | baseAddress | net.tcp://servername: <b>50000</b> /                     | The Reference service will be accessible using net.tcp protocol at this URL.     |
|                     | baseAddress | http://servername: <b>50500</b> /ReferenceService/       | The Reference service will be accessible using HTTP protocol at this URL.        |
|                     | baseAddress | https://servername: <b>50443</b> /ReferenceService/      | The Reference service will be accessible using HTTPS protocol at this URL.       |
|                     | baseAddress | net.tcp://servername: <b>50000</b> /                     | The Reference service will be accessible using net.tcp protocol at this URL.     |

| Section                       | Option Name | Suggested Value                                                | Description                                                                  |
|-------------------------------|-------------|----------------------------------------------------------------|------------------------------------------------------------------------------|
| Assisted Registration Service | baseAddress | http://servername: <b>50500</b> /AssistedRegistrationService/  | The Reference service will be accessible using HTTP protocol at this URL.    |
|                               | baseAddress | https://servername: <b>50443</b> /AssistedRegistrationService/ | The Reference service will be accessible using HTTPS protocol at this URL.   |
| Hpii Service                  | baseAddress | net.tcp://servername: <b>50000</b> /                           | The Reference service will be accessible using net.tcp protocol at this URL. |
|                               | baseAddress | http://servername: <b>50500</b> /HpiiService/                  | The Reference service will be accessible using HTTP protocol at this URL.    |
|                               | baseAddress | https://servername: <b>50443</b> /HpiiService/                 | The Reference service will be accessible using HTTPS protocol at this URL.   |
| Hi Reference Service          | baseAddress | net.tcp://servername: <b>50000</b> /                           | The Reference service will be accessible using net.tcp protocol at this URL. |
|                               | baseAddress | http://servername: <b>50500</b> /HiReferenceService/           | The Reference service will be accessible using HTTP protocol at this URL.    |
|                               | baseAddress | https://servername: <b>50443</b> /HiReferenceService/          | The Reference service will be accessible using HTTPS protocol at this URL.   |
| Patient Service               | baseAddress | net.tcp://servername: <b>50000</b> /                           | The Reference service will be accessible using net.tcp protocol at this URL. |
|                               | baseAddress | http://servername: <b>50500</b> /PatientService/               | The Reference service will be accessible using HTTP protocol at this URL.    |
|                               | baseAddress | https://servername: <b>50443</b> /PatientService/              | The Reference service will be accessible using HTTPS protocol at this URL.   |
| Ack Service                   | baseAddress | net.tcp://servername: <b>50000</b> /                           | The Ack service will be accessible using net.tcp protocol at this URL.       |
|                               | baseAddress | http://servername: <b>50500</b> /AckService/                   | The Ack service will be accessible using HTTP protocol at this URL.          |
|                               | baseAddress | https://servername: <b>50443</b> /AckService/                  | The Ack service will be accessible using HTTPS protocol at this URL.         |
| Ack Queue Service             | baseAddress | net.tcp://servername: <b>50000</b> /                           | The Ack Queue service will be accessible using net.tcp protocol at this URL. |
|                               | baseAddress | http://servername: <b>50500</b> /AckQueue/                     | The Ack Queue service will be accessible using HTTP protocol at this URL.    |



| Section                             | Option Name                        | Suggested Value                                                                                  | Description                                                                                                                                                                                                                                                                   |
|-------------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                     | baseAddress                        | https://servername: <b>50443</b> /AckQueue/                                                      | The Ack Queue service will be accessible using HTTPS protocol at this URL.                                                                                                                                                                                                    |
| PCEHR<br>MSMQ<br>Client<br>Endpoint | address                            | net.msmq://localhost/private/HIPSServer_TEST/HIPS.Service.PcehrQueue.svc                         | The address for the local MSMQ service                                                                                                                                                                                                                                        |
| Ack MSMQ<br>Client<br>Endpoint      | address                            | net.msmq://localhost/private/HIPSServer_TEST/HIPS.Service.AckQueue.svc                           | The address for the local MSMQ service                                                                                                                                                                                                                                        |
| Ack Service<br>Client<br>Endpoint   | address                            | http://localhost:663/services.AckService                                                         | The endpoint address for the Ack Service. This can either be set to be Mirth Connect HIPS Acknowledgement to MLLP Channel or if Mirth Connect is not implemented the HIPS Acknowledgement Service end point which will require the FileLocation appsetting (below) to be set. |
| App<br>Settings                     | lhiProductName                     | <Product Name of the new product based on the HIPS source code>                                  | Product Name registered with DHS                                                                                                                                                                                                                                              |
|                                     | lhiProductVersion                  | <Product Version of the new product based on the HIPS source code>                               | Product Version registered with DHS                                                                                                                                                                                                                                           |
|                                     | lhiVendorId                        | <Vendor Name of the organisation that has created the new product based on the HIPS source code> | Vendor ID registered with DHS                                                                                                                                                                                                                                                 |
|                                     | lhiVendorQualifier                 | http://ns.electronichealth.net.au/id/hi/vendorid/1.0                                             | This URL qualifies the vendor ID in the header of each request to the HI Service. This is a fixed value defined by DHS technical specifications.                                                                                                                              |
|                                     | lhiUserQualifierProviderIndividual | http://ns.electronichealth.net.au/id/hi/vendorid/1.0                                             |                                                                                                                                                                                                                                                                               |
|                                     | lhiUserQualifierHiUser             | http://ns.healthdomain.stateorterritory.gov.au/id/{0}/userid/1.0                                 | This URL qualifies the domain in which the interactive user's login is identified to DHS, with {0} replaced by the supplied domain,                                                                                                                                           |
|                                     | lhiUserQualifierAuthorisedEmployee | http://ns.healthdomain.stateorterritory.gov.au/id/ae/userid/1.0                                  | This URL qualifies the user identifier supplied for the authorised employee for non-interactive processing.                                                                                                                                                                   |

| Section | Option Name              | Suggested Value                                                                                                                                                           | Description                                                                                                                                                                                                                                                                                                                                                                       |
|---------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | IhiHpioQualifier         | http://ns.electronichealth.net.au/id/hi/hpio/1.0                                                                                                                          | This URL qualifies an HPI-O in the header of a request to HI Service, but is only used for Contracted Service Providers (CSP) and not if the health provider organisation itself makes the call. This is a fixed value defined by DHS technical specifications.                                                                                                                   |
|         | IhiValidationPeriodDays  | 1                                                                                                                                                                         | HIPS will revalidate an IHI before returning it to the calling system or using it in a call to the My Health Record System, if it was not obtained or last validated within the number of days specified here.<br>For organisations that do not connect HIPS to the HI Service, it is necessary to set this to a large number (e.g. 999) to prevent HIPS attempting revalidation. |
|         | HiServiceUrl             | Vendor Environment:<br>https://www5.medicareaustralia.gov.au/cert/soap/services/<br>Production Environment:<br>https://www3.medicareaustralia.gov.au/pcert/soap/services/ | HIPS will connect to the HI Service at this URL, which is that of the HI Service vendor or production environment.                                                                                                                                                                                                                                                                |
|         | PcehrProductName         | <Product Name of the new product based on the HIPS source code>                                                                                                           | Product Name registered with My Health Record SVT or Production                                                                                                                                                                                                                                                                                                                   |
|         | PcehrProductVersion      | <Product Version of the new product based on the HIPS source code>                                                                                                        | Product Version registered with My Health Record SVT or Production                                                                                                                                                                                                                                                                                                                |
|         | PcehrVendorId            | <Vendor Name of the organisation that has created the new product based on the HIPS source code>                                                                          | Vendor ID registered with My Health Record SVT or Production                                                                                                                                                                                                                                                                                                                      |
|         | PcehrRole                | CIS                                                                                                                                                                       | HIPS is designed to communicate with My Health Record B2B Gateway as part of a Clinical Information System (CIS).                                                                                                                                                                                                                                                                 |
|         | CheckDoesPcehrExist      | true                                                                                                                                                                      | Whether HIPS should check the 'digital health record' advertised status of each patient immediately upon obtaining his/her IHI.                                                                                                                                                                                                                                                   |
|         | CdaUserIdQualifierFormat | http://ns.healthdomain.stateterritory.gov.au/id/cda/userid/1.0/{0}                                                                                                        | This URL qualifies the user identifier in the CDA signature file for CDA packaging. Replace healthdomain and stateterritory. The {0} will be replaced with the author's identifier from the CDA document.                                                                                                                                                                         |
|         | IhiCleanupProcessMinutes | 60                                                                                                                                                                        | Interval to wake up background thread and process service error IHI calls.                                                                                                                                                                                                                                                                                                        |
|         | LookupRefreshSeconds     | 600                                                                                                                                                                       | This is the waiting time between cached data refreshes in seconds.                                                                                                                                                                                                                                                                                                                |

| Section | Option Name                       | Suggested Value                                                                                                                       | Description                                                                                                                                                                                         |
|---------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | PatientMasterOverride             | False                                                                                                                                 | Allows client apps to provide temporary patient demographic overrides within HIPS                                                                                                                   |
|         | AvoidProxy                        | True                                                                                                                                  | Avoid standard Proxies                                                                                                                                                                              |
|         | DoesPCEHRExistUrl                 | <a href="https://b2b.ehealthvendortest.health.gov.au/doesPCEHRExist">https://b2b.ehealthvendortest.health.gov.au/doesPCEHRExist</a>   | HIPS will connect to this URL to check the 'digital health record' advertised status of an IHI.                                                                                                     |
|         | UploadDocumentUrl                 | <a href="https://b2b.ehealthvendortest.health.gov.au/uploadDocument">https://b2b.ehealthvendortest.health.gov.au/uploadDocument</a>   | HIPS will connect to this URL to upload or supersede a document to the My Health Record System.                                                                                                     |
|         | GetDocumentUrl                    | <a href="https://b2b.ehealthvendortest.health.gov.au/getDocument">https://b2b.ehealthvendortest.health.gov.au/getDocument</a>         | HIPS will connect to this URL to download a document from the My Health Record System.                                                                                                              |
|         | GetViewUrl                        | <a href="https://b2b.ehealthvendortest.health.gov.au/getView">https://b2b.ehealthvendortest.health.gov.au/getView</a>                 | HIPS will connect to this URL to request a view from the My Health Record System.                                                                                                                   |
|         | RemoveDocumentUrl                 | <a href="https://b2b.ehealthvendortest.health.gov.au/removeDocument">https://b2b.ehealthvendortest.health.gov.au/removeDocument</a>   | HIPS will connect to this URL to remove a document from the My Health Record System.                                                                                                                |
|         | ListDocumentUrl                   | <a href="https://b2b.ehealthvendortest.health.gov.au/getDocumentList">https://b2b.ehealthvendortest.health.gov.au/getDocumentList</a> | HIPS will connect to this URL to list documents available to download from the My Health Record System.                                                                                             |
|         | GainPCEHRAccessUrl                | <a href="https://b2b.ehealthvendortest.health.gov.au/gainPCEHRAccess">https://b2b.ehealthvendortest.health.gov.au/gainPCEHRAccess</a> | HISP will connect to this URL to gain access to a digital health record.                                                                                                                            |
|         | RegisterPcehrUrl                  | <a href="https://b2b.ehealthvendortest.health.gov.au/registerPCEHR">https://b2b.ehealthvendortest.health.gov.au/registerPCEHR</a>     | HIPS will connect to this URL to register a digital health record.                                                                                                                                  |
|         | DoesPCEHRExistTimeoutSeconds      | 120                                                                                                                                   | Connection Timeout (in seconds) for DoesPCEHRExist Service. Defaults to 60 if not included in the configuration file.                                                                               |
|         | DocumentProductionTimeoutSeconds  | 300                                                                                                                                   | Connection Timeout (in seconds) for Document Production Services : UploadDocument, RemoveDocument. Defaults to 300 if not included in the configuration file.                                       |
|         | DocumentConsumptionTimeoutSeconds | 120                                                                                                                                   | Connection Timeout (in seconds) for Document Consumption Services : GetDocument, GetDocumentList, GetChangeHistoryView, GainPCEHRAccess. Defaults to 120 if not included in the configuration file. |
|         | IhiSearchTimeoutSeconds           | 120                                                                                                                                   | Connection Timeout (in seconds) for IHI Search Defaults to 60 if not included in the configuration file                                                                                             |

| Section | Option Name                               | Suggested Value            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------|-------------------------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | HpiiSearchTimeoutSeconds                  | 120                        | Connection Timeout (in seconds) for HPII Search<br>Defaults to 60 if not included in the configuration file                                                                                                                                                                                                                                                                                                                                                                               |
|         | BypassHIService                           | false                      | <b>ONLY for Custom Assisted Registration Installations</b><br>If the HI Service is not to be used for Assisted Registration then this is set to false, when AR Service not configured for HIPS-UI<br>This can only be set to true IF the Assisted Registration web service is used outside of the HIPS-UI. Note setting this false will mean that HIPS will need to pass Conformance Testing again to use Assisted Registration outside of the HIPS-UI solution of Assisted Registration. |
|         | RegisteredDateOfBirthEnabled              | False                      | <b>ONLY used if you expect patient to provide a different date of birth to what they have recorded at Medicare</b><br>This setting instructs HIPS to store the Medicare registered Date of Birth separately to the patients current Date of Birth and use to use the registered Date of Birth if the current Date of Birth does not return a valid IHI for the patient.                                                                                                                   |
|         | PathologyReportUploadLocation             | C:\Uploads\Pathology\      | The folder location where the HIPS service will retrieve Pathology reports when a Reference Pointer is used rather than Embedded reports in the HL7 message.                                                                                                                                                                                                                                                                                                                              |
|         | ImagingReportUploadLocation               | C:\Uploads\Imaging\        | The folder location where the HIPS service will retrieve Imaging reports when a Reference Pointer is used rather than Embedded reports in the HL7 message.                                                                                                                                                                                                                                                                                                                                |
|         | DiagnosticImagingReportDocumentFormatCode | 1.2.36.1.2001.1006.1.222.4 | The Document Format Code to use for the Pathology Reports 3A. This value indicates if the HPI-I Enforced or HPI-I Relaxed template is to be used to upload the Diagnostic Imaging Reports to the PCEHR Service. By default it is set to HPI-I Enforced. Refer to the PCEHR Service documentation for applicable values.                                                                                                                                                                   |
|         | PathologyReportDocumentFormatCode         | 1.2.36.1.2001.1006.1.220.4 | The Document Format Code to use for the Diagnostic Imaging Reports 3A. This value indicates if the HPI-I Enforced or HPI-I Relaxed template is to be used to upload the Pathology Reports to the PCEHR Service. By default it is set to HPI-I Enforced. Refer to the PCEHR Service documentation for applicable values.                                                                                                                                                                   |
|         | HpiiValidationPeriodDays                  | 1                          | The number of days any stored HPI-I's are valid for.                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Section | Option Name           | Suggested Value     | Description                                                                                                                                                                                                           |
|---------|-----------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | FileLocation          | C:\mirth\upload-ack | The location where application Acknowledgements will be saved, if Mirth or another ESB provided endpoint is not invoked.                                                                                              |
|         | UseHL7MessageDateTime | True                | Flag to indicate if the check for earlier pending HL7 messages for Pathology or Diagnostic Imaging Uploads should use the HL7 Message Date Time or not. If false will use the DateCreated in the HL7MessageLog table. |