



Australian Government
Australian Digital Health Agency



Clinical Terminology

Guidance for Use of Medical Nomenclatures in Information Exchange

24 September 2018 v1.2

Approved for external use

Document ID: DH-2759:2018



Acknowledgements

Council of Australian Governments

The Australian Digital Health Agency is jointly funded by the Australian Government and all state and territory governments.

Disclaimer

The Australian Digital Health Agency (“the Agency”) makes the information and other material (“Information”) in this document available in good faith but without any representation or warranty as to its accuracy or completeness. The Agency cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document control

This document is maintained in electronic form and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is the latest revision.

Copyright © 2018 Australian Digital Health Agency

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means – graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems – without the permission of the Australian Digital Health Agency. All copies of this document must include the copyright and other information contained on this page.

OFFICIAL

Document information

Key information

Owner	General Manager – Operational Change Branch
Contact for enquiries	Australian Digital Health Agency Help Centre
Phone	1300 901 001
Email	help@digitalhealth.gov.au

Product or document version history

Product or document version	Date	Release comments
1.0	12 August 2014	Initial release
1.1	30 November 2015	Update to Section 2.1.1 requirement 022525 SNOMED CT-AU and AMT version 3 coding system versions in CDA documents and Section 2.1.2 requirement 022527 SNOMED CT AU and AMT version 3 coding system versions in non-CDA messages
1.2	24 September 2018	Removed guidance for AMT version 2; updated maintenance requirements based on licence agreements; minor changes throughout

Table of contents

1	Introduction	5
1.1	Purpose	5
1.2	Intended audience	5
1.3	Scope.....	5
1.4	Conformance.....	5
1.5	Related documents	6
1.5.1	Step 1: Guidance for people & processes	6
1.5.2	Step 1a: Mapping Guidelines.....	7
1.5.3	Step 2: Guidance for system behaviour	7
1.5.4	Guidance for information exchange.....	7
1.5.5	Step 4: Test cases for terminology conformance	7
1.5.6	Other documents.....	8
2	Overview of requirements	9
2.1	Outbound messaging	9
2.2	Inbound messaging	10
3	Clinical messaging.....	11
3.1	Outbound messaging	11
3.1.1	CDA documents	11
3.1.2	Non-CDA messages.....	17
3.2	Inbound messaging	22
3.2.1	CDA documents	22
3.2.2	Non-CDA messages.....	23
	Appendix A High level overview of the terminology adoption process, with traceability to relevant sections of the available guidance documents	26
	Appendix B Code system identifiers.....	27
	Acronyms	28
	Glossary.....	29
	References.....	33

1 Introduction

1.1 Purpose

This document provides guidance for healthcare software systems that produce and consume clinical messages containing medical nomenclatures. This guidance helps software developers to manage risks when developing healthcare software systems using medical nomenclatures for the purpose of supporting healthcare delivery through the exchange of clinical information.

1.2 Intended audience

This document is primarily directed towards:

- healthcare software vendors;
- vendors using clinical coding system products; and
- healthcare jurisdictions and healthcare providers.

1.3 Scope

This document is primarily concerned with the use of medical nomenclatures for the purpose of unambiguously describing the care and treatment of healthcare recipients pertaining to diseases, signs, disorders, symptoms, procedures, treatments, medications, anatomy, findings, causes, complaints, clinical test results and so on. These include, but are not limited to:

- Terminologies such as the AMT, SNOMED CT-AU, or other local or proprietary terminologies.
- Drug information systems.
- Classification systems such as ICD-10-AM¹ and Australian Classification of Health Interventions (ACHI) or other local or proprietary classifications.
- Code systems such as LOINC or other local or proprietary code systems.
- Schedules or listings such as the Schedule of Pharmaceutical Benefits.

Future releases of this document may include additional medical nomenclatures.

The term 'coding system' is hereafter used when referring to one or more of the abovementioned medical nomenclatures.

The scope of this document does not mandate that all clinical statements that are present in outbound CDA documents and messages to be encoded, but rather where they are encoded, the healthcare software should implement the relevant software requirements.

1.4 Conformance

Software developers may want to claim that their software implements this clinical terminology guidance. For such claims to be meaningful and for the healthcare community to have a shared

¹ ICD-10-AM is the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification.

understanding of these claims, the clinical terminology guidance has been documented in the form of software requirements using the standard verbs shall, shall not, should, should not and may.

Although adoption of the guidance provided by this document is not a prerequisite for software to be granted access to the My Health Record system, adoption is strongly encouraged. Any software developer wanting to claim that they have implemented the clinical terminology guidance must have software that implements all mandatory and applicable conditional requirements in this document (that is, the requirements using the verbs shall and shall not).

1.5 Related documents

Figure 1 provides a high-level overview of the pertinent National Clinical Terminology Service (NCTS) guidance documents to be read before implementing terminology. Specific requirements are listed in various sections of the guidance documents. Refer to [Appendix A](#) for the requirements relevant for different terminology adoption approaches.

Typically, an AMT or SNOMED CT-AU implementer will read the guidance documents in the following order:




Figure 1: Guidance documents for terminology adoption

1.5.1 Step 1: Guidance for people & processes

- *Clinical Terminology – Guidance for People and Processes* [1] describes the business processes, documentation and personnel needed to enable mapping, accessing, recording, storing, displaying and maintaining terminology in a healthcare software system.
- The requirements in this document are not included in the test cases for terminology conformance, rather they emphasise key issues in the terminology adoption approach

where conformance is highly recommended to help reduce clinical safety risks and maximise the business benefits of adopting terminology.

1.5.2 Step 1a: Mapping Guidelines

- This is an optional step; and is applicable only if the implementation requires a mapping to/from SNOMED CT-AU or AMT.
- The guidelines in this document are not included as requirements in the test cases for terminology conformance, rather they describe best practice guidelines for a terminology mapping implementation.

1.5.3 Step 2: Guidance for system behaviour

- *Clinical Terminology – Guidance for Use in Healthcare Software* [2] describes the software requirements for a terminology implementation; focusing on access, recording, storage and display of information.
- The requirements in this document are included in the test cases for terminology conformance.

1.5.4 Guidance for information exchange

- This is an optional step; and is applicable only if an implementation is exchanging terminology-coded data with other systems.
- *Clinical Terminology – Guidance for Use of Medical Nomenclatures in Information Exchange (this document)* describes the terminology requirements for coded clinical information exchange within CDA and non-CDA messages.
- The requirements in this document are included in the test cases for terminology conformance.

1.5.5 Step 4: Test cases for terminology conformance

- The Clinical Terminology – Test Cases for Software and Messaging [3] bundle is comprised of:
 - Tests for Use in Healthcare Software
 - Tests for Use Of Medical Nomenclatures In Info Exchange
 - Supplementary information for the clinical terminology test cases
- These test cases are respectively used to claim conformance for various system behaviour and clinical information exchange for a terminology implementation.
- Only the test cases that are relevant to the specifics of a terminology implementation should be completed.

1.5.6 Other documents

The following documents may be relevant for healthcare software vendors, healthcare jurisdictions and healthcare providers that also implement healthcare software systems in accordance with this specification:

- HL7 Clinical Document Architecture, Release 2, HL7 Version 3 Standard [4]
- Conformance profiles for clinical documents²
- Clinical Information Systems Connecting to the PCEHR System – Conformance Assessment Scheme [5]
- Clinical document structured specifications and CDA implementation guides²
- Representing Coding in CDA Documents - Implementation Guide [6]
- HL7 Fast Healthcare Interoperability Resources Specification (FHIR®)³
- National Clinical Terminology Service Guide for Implementers [7]

² Available from <https://developer.digitalhealth.gov.au/specifications/clinical-documents>

³ Available from <https://www.hl7.org/fhir/>

2 Overview of requirements

This section summarises the requirements contained in this document in a tabular format. The subsequent sections provide specific details for each requirement.

2.1 Outbound messaging

Topic	Requirement no.	Requirement name	Priority	Applicable to use case	Related requirements
CDA documents	020638	Encoding concepts in a CDA document	Conditional	UC.007	-
	020639	Encoding mapped concepts in a CDA document	Conditional	UC.003	-
	020641	Post-coordinated expressions in outbound CDA documents	Conditional	UC.007	-
	020642	CDA document containing free text and encoded concepts	Conditional	UC.007	-
	020643	Customised terminology descriptions in CDA documents	Conditional	UC.007	-
	022525	SNOMED CT-AU and AMT coding system versions in CDA documents	Conditional	UC.003 UC.007	-
Non-CDA messages	020644	Encoding mapped concepts in a non-CDA message	Conditional	UC.003	-
	020645	Encoding concepts in a non-CDA message	Conditional	UC.007	-
	020646	Post-coordinated expressions in outbound non-CDA messages	Conditional	UC.007	-
	020647	Non-CDA message containing free text and encoded concepts	Conditional	UC.007	-

Topic	Requirement no.	Requirement name	Priority	Applicable to use case	Related requirements
	020648	Customised terminology descriptions (CTDs) in non-CDA messages	Conditional	UC.007	-
	022527	SNOMED CT-AU and AMT coding system versions in non-CDA messages	Conditional	UC.003 UC.007	-

2.2 Inbound messaging

Topic	Requirement no.	Requirement name	Priority	Applicable to use case	Related requirements
CDA documents	020649	Storing a concept extracted from an inbound CDA document	Conditional	UC.007	-
	020651	Storing a post-coordinated expression extracted from an inbound CDA document	Conditional	UC.007	-
	020652	Displaying the stored concepts extracted from an inbound CDA document	Conditional	UC.007	-
	020653	Displaying the stored post-coordinated expressions from an inbound CDA document	Conditional	UC.007	-
Non-CDA messages	020654	Storing a concept extracted from an inbound non-CDA message	Conditional	UC.007	-
	020664	Storing a post-coordinated expression extracted from an inbound non-CDA message	Conditional	UC.007	-
	020665	Displaying the stored concepts extracted from an inbound non-CDA message	Conditional	UC.007	-
	022316	Displaying the stored post-coordinated expressions from an inbound non-CDA message	Conditional		-

3 Clinical messaging

3.1 Outbound messaging

The requirements in this section apply to healthcare software systems producing outbound CDA documents or clinical messages containing encoded concepts from a coding system. The section is divided into requirements related to authoring of outbound CDA documents and requirements related to the authoring of outbound messages other than CDA documents (for example, HL7 v2 or any other messaging standard).

3.1.1 CDA documents

020638 Encoding concepts in a CDA document

If the healthcare software system generates outbound CDA documents containing encoded concepts from a coding system that is used as a native interface terminology in the healthcare software system, it **shall** include the following CDA attribute values for each concept in the CDA document:

- Concept identifier as *code*;
- Registered OID of the coding system as *codeSystem*; and
- Original text that was displayed to the user, and recorded as *originalText*.

Priority Conditional

Additional Notes

This requirement is derived from the Agency clinical document specifications.⁴ The intent of this requirement is to ensure that the original meaning of the clinical statement is not lost during the authoring of a CDA document.

The *originalText* CDA attribute value will be the same as the *displayName* value in the case where the coding system is used as a native interface terminology in the healthcare software system.

Optionally, the description as *displayName* is included. Where the coding system is the AMT or SNOMED CT-AU, the *displayName* must be the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

This requirement also promotes interoperability through a standard method of presenting clinical information in information exchange.

The HL7 Object Identifiers (OIDs) are registered at <http://www.hl7.org/oid/index.cfm> as follows:


- SNOMED CT-AU and AMT OID ("2.16.840.1.113883.6.96");
- LOINC ("2.16.840.1.113883.6.1"); or
- PBS Item Codes ("1.2.36.1.2001.1005.22").

Any other coding system must also be registered when in use.

⁴ Available from <https://developer.digitalhealth.gov.au/specifications/clinical-documents>

Sample SNOMED CT-AU coded CDA fragment

The following figure is a sample CDA fragment with an element that has a SNOMED CT-AU code as the primary coding.



Sample AMT coded CDA fragment

The following figure is a sample CDA fragment with an element that has an AMT code as the primary coding.



020639 Encoding mapped concepts in a CDA document

If the healthcare software system generates outbound CDA documents containing encoded concepts from a coding system with translations (that is, mapping), it **shall** include the following information for each mapped concept in the CDA document.

The source coding system concept details:

- Concept identifier as *code* (if available);
- Registered OID as *codeSystem*; and
- Original text that was displayed to and recorded by the user as *originalText*.

The mapped/translated *target* coding system concept stored as *code translation*, with the following details:

- Concept identifier as *code*; and
- Registered OID of the coding system as *codeSystem*.

Priority Conditional

Additional Notes

This requirement is derived from the Agency clinical document specifications.⁵ The intent of this requirement is to ensure that the original meaning of the clinical statement and the translation is not lost during the authoring of a CDA document. It also promotes interoperability between systems supporting different coding systems and a standard method of presenting clinical information in information exchange.

Optionally, the description as *displayName* is included. Where the coding system is the AMT or SNOMED CT-AU, the *displayName* is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

The translation must not have an *originalText* entry.


The HL7 Object Identifiers (OIDs) are registered at <http://www.hl7.org/oid/index.cfm> as follows:

- SNOMED CT-AU and AMT OID ("2.16.840.1.113883.6.96");
- LOINC ("2.16.840.1.113883.6.1");
- PBS Item Codes ("1.2.36.1.2001.1005.22").

Any other coding system must also be registered when in use.

Sample SNOMED CT-AU coded CDA fragment


The following figure is a sample CDA fragment with an element that has a SNOMED CT-AU code as the translation coding (i.e. the local code set is mapped to SNOMED CT-AU).



Sample AMT coded CDA fragment

The following figure is a sample CDA fragment with an element that has an AMT code as the translation coding (i.e. the local medicine code set is mapped to the AMT).

⁵ Available from <https://developer.digitalhealth.gov.au/specifications/clinical-documents>



020641 Post-coordinated expressions in outbound CDA documents

If the healthcare software system supports the use of AMT or SNOMED CT-AU post-coordinated expressions for recording and storing clinical statements and generates an outbound CDA document containing such post-coordinated expressions, it **shall** include the following information for each post-coordinated expression in the content of the outbound CDA document:

- The expression adhering to the SNOMED CT compositional grammar in the *SNOMED CT Technical Implementation Guide* [8] as the machine-readable content as code;
- Registered OID of the coding system as *codeSystem*; and
- The original text seen by the user recording the expression in a human-readable format as *originalText*.

There **shall not** be a *displayName*, since there is none defined for an expression.

Priority Conditional

Additional Notes

The intent of this requirement is to ensure that the original meaning of the clinical statement is not lost during the authoring of a CDA document.

In addition, the intent of this requirement is to avoid expressions written by the user or generated by the healthcare software system that are nonsensical or contradictory in nature, reducing the risk of misinterpreting clinical statements or using incorrect statements in making clinical decisions. Generating expressions that comply with the SNOMED CT compositional grammar allows expressions to be represented as a text string that can be carried in messages, allowing receiving systems to reliably process or parse those expressions.

The SNOMED CT compositional grammar by SNOMED International provides syntax for describing SNOMED CT post-coordinated expressions in a standardised machine-processable format in digital health messages [8]. The original text serves the purpose of human readability. Where any combination of GUI controls (graphical or workflow-based, with or without explicit text) are used in authoring post-coordinated expressions, the *originalText* must contain the values from all those sources to faithfully capture the meaning of the expression as intended by the author and as depicted through the healthcare software system.

Organisations should be aware that current digital health CDA specifications⁶ do not allow post-coordinated expressions to be encoded. For example, all *CodeableText* data type elements specified in CDA specifications require the coded concepts to belong to a member of the relevant coding system and where specified the relevant reference sets.

The HL7 Object Identifiers (OIDs) are registered at <http://www.hl7.org/oid/index.cfm> as follows:

- SNOMED CT-AU and AMT OID ("2.16.840.1.113883.6.96").

020642 CDA document containing free text and encoded concepts

If the healthcare software system supports the capability to record a concept together with entering free text (that is, where the concept and free text constitutes a single clinical statement or expression), with a distinction between the concept and free text, and generates outbound CDA documents containing such a clinical statement, the CDA document **shall** contain the following for that clinical statement:

- Concept identifier of the selected concept displayed to the user as *code*;
- Registered OID of the coding system of the selected concept as *codeSystem*;
- Original text; that is, the concept description and user-entered free text that accurately reflects the way it was compiled by the author, encoded as *originalText*; and
- If a map exists, a translation containing the concept identifier, registered OID, and description of the *target* coding system.

Priority Conditional

Additional Notes

This requirement promotes interoperability through a standard method of presenting clinical information in information exchange. It also intends to reduce the risk of creating CDA documents containing incorrectly-encoded clinical statements originating from data fields where concepts and free text were recorded to represent a clinical statement.

An example of this practice would be where the software allows a user to select a concept, and also offers a text box next to the selected concept where 'additional information' can be entered. This would enable a user to pick a code for 'bacterial infection' and enter the kind of bacteria as a note (free text). In effect, this allows some informal post-coordination. In this case, the description for the selected concept displayed to the user in the GUI and the free text entered in a separate field are combined as a single expression and coded as original text. The selected concept is coded with the correct concept identifier, coding system indicator, and concept description, but the 'additional information' remains as free text as part of the original text. Although this requirement suggests that it might be an option for the healthcare software system to support users to record a concept with user-entered free text, this practice is strongly discouraged. It may lead to user-entered free text that refines, broadens or even contradicts the meaning of the associated concept, which is something that should be avoided. This can lead to confusion by those interpreting the clinical statement.

From a coding perspective, this type of functionality introduces obstacles to accurately represent the clinical statement as it was perceived and intended by the author. The way in which the GUI was designed and used by the user in recording a clinical statement will influence how and what information is recorded and the author's interpretation of its meaning. Furthermore, clinical safety risks may arise where decision-support algorithms make use of the encoded concept

⁶ Available from <https://developer.digitalhealth.gov.au/specifications/clinical-documents>

without the original text, or the manner in which the clinical statement is presented to users through information exchange.

Optionally, the description as *displayName* is included. Where the source or target coding system is the AMT or SNOMED CT-AU, the description is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

The HL7 Object Identifiers (OIDs) are registered at <http://www.hl7.org/oid/index.cfm> as follows:

- SNOMED CT-AU and AMT OID ("2.16.840.1.113883.6.96");
- LOINC ("2.16.840.1.113883.6.1");
- PBS Item Codes ("1.2.36.1.2001.1005.22").

Any other coding system must also be registered when in use.

020643 Customised terminology descriptions in CDA documents

If the healthcare software system displays customised terminology descriptions (CTDs) in the GUI for recording and storing, and generates CDA documents containing such clinical statements, the CDA documents **shall** contain the following for each clinical statement:

- Concept identifier as *code*;
- Registered OID of the coding system as *codeSystem*;
- CTD text displayed to and recorded by the user as *originalText*.

Priority Conditional

Additional Notes

The intent of this requirement is to reduce the risk of the healthcare software system creating CDA documents with incorrectly represented concepts based on CTDs and to ensure that the original meaning of the concept is maintained.

Optionally, the description as *displayName* is included. Where the coding system is the AMT or SNOMED CT-AU, the description is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

This requirement also promotes interoperability through a standard method of presenting clinical information in information exchange.

The HL7 Object Identifiers (OIDs) are registered at <http://www.hl7.org/oid/index.cfm> as follows:

- SNOMED CT-AU and AMT OID ("2.16.840.1.113883.6.96");
- LOINC ("2.16.840.1.113883.6.1");
- PBS Item Codes ("1.2.36.1.2001.1005.22").

Any other coding system must also be registered when in use.

022525 SNOMED CT-AU and AMT coding system versions in CDA documents

If the healthcare software system generates outbound CDA documents containing the *codeSystemVersion* of an encoded AMT or SNOMED CT-AU concept, the version **shall** be that of the SNOMED CT-AU release in use at the time when the clinical statement was stored in the healthcare software system. The version **shall** be in the format specified by the relevant specifications of the particular CDA document type. Where the specifications do not define a format, the *codeSystemVersion* **shall** use the following format:

http://snomed.info/sct/{moduleId}/version/{effectiveTime}

where *{moduleId}* **shall** be

- 32506021000036107 for SNOMED CT-AU and AMT;

and *{effectiveTime}* **shall** be

- the date associated with the version of the data in a specific release of SNOMED CT-AU as specified in the corresponding release note; and
- in the format 'YYYYMMDD'.

Priority Conditional

Additional Notes

The intent of this requirement is to promote a consistent approach to using coding system versions, allowing receiving systems to correctly process those concepts where rules are built around coding system release versions.

The format described above was defined by SNOMED International; it enables healthcare software systems to differentiate between SNOMED CT-AU codes, SNOMED CT code or other SNOMED CT extensions [9].

Examples:

- The May 2017 release of SNOMED CT-AU would have the following *codeSystemVersion* value: *http://snomed.info/sct/32506021000036107/version/20170531*
- The November 2018 release of the AMT would have the following *codeSystemVersion* value: *http://snomed.info/sct/32506021000036107/version/20181130*

Note: The date associated with the version of the data in a specific SNOMED CT-AU release is separate to the publication date of the corresponding release. The AMT was packaged as part of the SNOMED CT-AU release from November 2015.

3.1.2 Non-CDA messages

020644 Encoding mapped concepts in a non-CDA message

If the healthcare software system generates outbound non-CDA messages containing encoded concepts from a coding system with translations (that is, mapping), it **shall** include the following information for each mapped concept in the non-CDA message:

The source coding system concept details:

- Concept identifier (if available);
- Coding system indicator; and
- Text displayed to and recorded by the user.

The mapped or translated target coding system concept stored as code translation, with the following details:

- Concept identifier; and
- Coding system indicator

Priority Conditional

Additional Notes

The intent of this requirement is to ensure that the original meaning of the clinical statement and the translation is not lost during the authoring of a clinical message. It also promotes interoperability between systems supporting different coding systems and a standard method of presenting clinical information in information exchange.

Optionally, the description is included (mandatory only if supported by the relevant message specification or standard). Where the source or target coding system is the AMT or SNOMED CT-AU, the description is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

020645 Encoding concepts in a non-CDA message

If the healthcare software system generates outbound non-CDA messages containing encoded concepts from a coding system that is used as a native interface terminology in the healthcare software system, it **shall** include the following information, where supported by the messaging specification or standard, for each concept in the message:

- Concept identifier;
- Coding system indicator;
- Text that was displayed to, and selected by or recorded by the user in a human-readable format.

Priority Conditional

Additional Notes

The intent of this requirement is to ensure that the original meaning of the clinical statement is not lost during the authoring of a clinical message.

This requirement is not an attempt to specify detailed coding requirements for all possible message content specifications other than CDA. This is merely a minimum requirement to carry the user's intended meaning pertaining to a clinical statement; therefore, the organisation is encouraged to code concepts in a way that meets the relevant message or Agency specifications.

This requirement promotes interoperability through a standard method of presenting clinical information in information exchange.

Optionally, the description is included (mandatory only if supported by the relevant message specification or standard). Where the coding system is AMT or SNOMED CT-AU, the description is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

020646 Post-coordinated expressions in outbound non-CDA messages

If the healthcare software system supports the use of AMT or SNOMED CT-AU post-coordinated expressions for recording and storing clinical statements and generates an outbound non-CDA message containing such post-coordinated expressions, it **shall** include the following information for each post-coordinated expression in the content of an outbound message:

- the expression adhering to the SNOMED CT compositional grammar in the *SNOMED CT Technical Implementation Guide* [8] as the machine-readable content;

- the coding system indicator; and
- the text seen by the user recording the expression in a human-readable format.

There **shall not** be a description (that is, *displayName* equivalent), since there is none defined for an expression.

Priority Conditional

Additional Notes

The intent of this requirement is to ensure that the original meaning of the clinical statement is not lost during the authoring of a clinical message.

In addition, the intent of this requirement is to avoid expressions written by the user or generated by the healthcare software system that are nonsensical or contradictory in nature, reducing the risk of misinterpreting clinical statements or using incorrect statements in making clinical decisions. Generating expressions that comply with the SNOMED CT compositional grammar allows expressions to be represented as a text string that can be carried in messages, allowing receiving systems to reliably process or parse those expressions.

The SNOMED CT compositional grammar by SNOMED International provides syntax for describing SNOMED CT post-coordinated expressions in a standardised machine-processable format in digital health messages [8]. The original text serves the purpose of human readability. Where any combination of GUI controls (graphical or workflow-based, with or without explicit text) are used in authoring post-coordinated expressions, the original text must contain the values from all those sources to faithfully capture the meaning of the expression as intended by the author and as depicted through the healthcare software system.

Implementers should be aware that most systems sending and receiving HL7 v2 messages impose some length limit on codes, and most will not be able to correctly store an expression, let alone process it correctly. Post-coordinated expressions should only be exchanged in contexts where it is known that this is safe.

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

020647 Non-CDA message containing free text and encoded concepts

If the healthcare software system supports the capability to record a concept together with entering free text (that is, where the concept and free text constitutes a single clinical statement or expression), with a distinction between the concept and free text, and generates an outbound non-CDA message containing an clinical statement, the message **shall** contain the following for that clinical statement:

- Concept identifier of the selected concept displayed to the user.
- Coding system indicator of the selected concept.
- The concept description and user-entered free text that accurately reflects the way it was compiled by the author, encoded in a human-readable format.

If a map exists, a translation **shall** contain the concept identifier and coding system indicator of the *target* coding system.

Priority Conditional

Additional Notes

This requirement promotes interoperability through a standard method of presenting clinical information in information exchange. It also intends to reduce the risk of creating messages containing incorrectly-encoded clinical statements originating from data fields where concepts and free text were recorded to represent a clinical statement.

An example of this practice would be where the software allows a user to select a concept, and also offers a text box next to the selected concept where 'additional information' can be entered. This would enable a user to select a concept for 'bacterial infection' and enter the kind of bacteria as a note (free text). In effect, this allows some informal post-coordination. In this case, the description for the selected concept displayed to the user in the GUI and the free text entered in a separate field are combined as a single expression and coded as original text. The selected concept is coded with the correct concept identifier, coding system indicator, and description, but the 'additional information' remains as free text as part of the original text.

Although this requirement suggests it might be an option for the healthcare software system to support users to record a concept with user-entered free text, this practice is strongly discouraged. It may lead to user-entered free text that refines, broadens or even contradicts the meaning of the associated concept, which is something that should be avoided. This can lead to confusion by those interpreting the clinical statement. From a coding perspective, this type of functionality introduces obstacles to accurately representing the clinical statement as it was perceived and intended by the author. The way in which the GUI was designed and used by the user in recording a clinical statement will influence how and what information is recorded and the author's interpretation of its meaning. Furthermore, clinical safety risks may arise where decision-support algorithms make use of the encoded concept without the original text, or the manner in which the clinical statement is presented to users through information exchange.

This requirement is not an attempt to specify detailed coding requirements for all possible message content specifications other than CDA. This is merely a minimum requirement to carry the user's intended meaning pertaining to a clinical statement; therefore, the organisation is encouraged to code concepts in a way that meets the relevant message or Agency specifications.

Optionally, the description is included (mandatory only if supported by the relevant message specification or standard). Where the source or target coding system is AMT or SNOMED CT-AU, the description is the preferred term. AMT and SNOMED CT-AU preferred terms are identified in the NCTS-released language reference sets.

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

020648 Customised terminology descriptions (CTDs) in non-CDA messages

If the healthcare software system displays CTDs in the GUI for recording and storing, and generates non-CDA messages containing such clinical statements, the message **shall** contain the following for each clinical statement:

- Concept identifier;
- Coding system indicator;
- CTD text (that is, original Text) displayed to and recorded by the user.

Priority Conditional

Additional Notes

The intent of this requirement is to reduce the risk of the healthcare software system creating non-CDA messages with incorrectly represented concepts using CTDs and to ensure the original meaning of the concept is maintained.

This requirement also promotes interoperability through a standard method of presenting clinical information in information exchange.

This requirement is not an attempt to specify detailed coding requirements for all possible message content specifications other than CDA. This is merely a minimum requirement to carry the user's intended meaning pertaining to a clinical statement; therefore, the organisation is encouraged to code concepts in a way that meets the relevant message or Agency specifications.

Optionally, the description is included (mandatory only if supported by the relevant message specification or standard).

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

022527 SNOMED CT-AU and AMT coding system versions in non-CDA messages

If the healthcare software system generates outbound non-CDA messages containing the coding system version of an encoded AMT or SNOMED CT-AU concept, the version **shall** be that of the SNOMED CT-AU release in use at the time when the clinical statement was stored in the healthcare software system. The version **shall** be in the format specified by the relevant message specification or standard. Where the message specification or standard does not define a format, the coding system version **shall** use the following format:

http://snomed.info/sct/{moduleId}/version/{effectiveTime}

where *{moduleId}* **shall** be

- 32506021000036107 for SNOMED CT-AU and AMT;

and *{effectiveTime}* **shall** be

- the date associated with the version of the data in a specific release of SNOMED CT-AU as specified in the corresponding release note; and
- in the format 'YYYYMMDD'.

Priority Conditional

Additional Notes

The intent of this requirement is to promote a consistent approach to using coding system versions where specified, allowing receiving systems to correctly process those concepts where rules are built around coding system release versions.

The format was defined by SNOMED International and enables healthcare software systems to differentiate between SNOMED CT-AU codes, SNOMED CT code or other SNOMED CT extensions [9].

Examples:

- The May 2017 release of SNOMED CT-AU would have the following coding system version value: *http://snomed.info/sct/32506021000036107/version/20170531*
- The November 2018 release of the AMT would have the following *codeSystemVersion* value: *http://snomed.info/sct/32506021000036107/version/20181130*

Note: The date associated with the version of the data in a specific SNOMED CT-AU release is separate to the publication date of the corresponding release. The AMT was packaged as part of the SNOMED CT-AU release from November 2015.

3.2 Inbound messaging

The requirements in this section apply to healthcare software systems extracting and processing encoded coding system concepts from inbound CDA documents or non-CDA messages (for example, HL7 v2 or any other messaging standard).

3.2.1 CDA documents

020649 Storing a concept extracted from an inbound CDA document

If the healthcare software system supports extracting concepts from coded elements in inbound CDA documents and storing the concepts separately, the healthcare software system **shall** extract and store the following concept information while maintaining its context as presented in the inbound document:

- *originalText*; and
- the following concept details for all, or any recognised code or coding system pairs from the code element and its translations:
 - *code*; and
 - *codeSystem*.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author and to support the use of this extracted data for internal use or for outbound CDA document.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

020651 Storing a post-coordinated expression extracted from an inbound CDA document

If the healthcare software system supports extracting post-coordinated expressions from CDA documents and storing the expressions separately, it **shall** extract and store the original text associated with each expression while maintaining its context as presented in the inbound message.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author and to support the use of this extracted data for internal use or for outbound messaging.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

020652 Displaying the stored concepts extracted from an inbound CDA document

If the healthcare software system supports displaying concepts extracted from inbound CDA documents, it **shall** display the original text, associated with each concept while maintaining the original intended semantic context. If the original text (*originalText* equivalent) is not available, it **shall** display the concept description instead (*displayName* equivalent). Where the healthcare software system displays the concept description along with the original text, it **shall** be clearly labelled accordingly so the user clearly distinguishes between the original text and the description.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the CDA document author, and to ensure that the display name is not mistaken from the original text recorded by the author.

The need to display the description along with the original text may arise in order to reduce risks of misinterpretation from the use of the concept by knowledge-support and decision-support protocols as well as through human interpretation.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

020653 Displaying the stored post-coordinated expressions from an inbound CDA document

If the healthcare software system supports displaying post-coordinated expressions extracted from an inbound CDA document, it **shall** display the original text associated with each expression while maintaining the original intended semantic context. Where the healthcare software system displays the expression, it **shall** be labelled accordingly so the user clearly distinguishes between the original text and the expression.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the CDA document author, and to ensure that the post-coordinated expression is not mistaken from the original text recorded by the author.

In order to promote the correct use of extracted expressions, the apparent semantic context should be stored and displayed explicitly with the extracted expressions. Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

3.2.2 Non-CDA messages

020654 Storing a concept extracted from an inbound non-CDA message

If the healthcare software system supports extracting encoded concepts from non-CDA messages and storing the concepts separately, the healthcare software system **shall** extract and store the following concept information while maintaining its context as presented in the inbound message:

- Text; and
- the following concept details for all, or any recognised concept identifier/coding system indicator pairs from the source and mapped or translated target coding systems:
 - concept identifier; and
 - coding system indicator.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author and to support the use of this extracted data for internal use or for outbound messaging.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

The coding system indicator refers to information allowing the coding system to be identified. Some methods to identify the coding system are available in Appendix B.

020664 Storing a post-coordinated expression extracted from an inbound non-CDA message

If the healthcare software system supports extracting post-coordinated expressions from inbound messages and storing the expressions separately, it shall extract and store the original text associated with each expression while maintaining its context as presented in the inbound message.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author and to support the use of this extracted data for internal use or for outbound messaging.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

020665 Displaying the stored concepts extracted from an inbound non-CDA message

If the healthcare software system supports displaying concepts extracted from inbound non-CDA messages, it **shall** display the text, associated with each concept while maintaining the original intended semantic context. If the text (CDA *originalText* equivalent) is not available, it **shall** display the concept description instead (CDA *displayName* equivalent). Where the healthcare software system displays the concept description along with the original text, it shall be clearly labelled accordingly so the user clearly distinguishes between the original text and the description.

Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author, and to ensure that the concept description is not mistaken from the original text recorded by the author.

To avoid risks of misinterpretation, the need to display the description along with the original text may arise from the use of the concept by knowledge-support and decision-support protocols as well as through human interpretation.

In order to promote the correct use of extracted clinical statements, the apparent semantic context should be stored and displayed explicitly with the extracted concept. For example, where a concept 'diabetes mellitus' is encoded under the heading 'Family history', the healthcare software system must store the concept under the same or similar category or label.

Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

022316 Displaying the stored post-coordinated expressions from an inbound non-CDA message

If the healthcare software system supports displaying post-coordinated expressions extracted from an inbound non-CDA message, it **shall** display the text associated with each expression while maintaining the original intended semantic context. Where the healthcare software system displays the expression, it **shall** be labelled accordingly so the user clearly distinguishes between the original text and the expression.


Priority Conditional

Additional Notes

The intent of this requirement is to maintain the meaning intended by the message author, and to ensure the post-coordinated expression is not mistaken from the original text recorded by the author.

In order to promote the correct use of extracted expressions, the apparent semantic context should be stored and displayed explicitly with the extracted expressions. Organisations must take extreme care to ensure that any semantic implication that a human reader may assume from such extracted clinical statements will result in a safe and correct interpretation.

Appendix A High level overview of the terminology adoption process, with traceability to relevant sections of the available guidance documents



Appendix B Code system identifiers

The coding system indicator refers to information allowing the concept represented in the message to be classified as part of a specific coding system. Where applicable, this may be accomplished by using one of the following:

- An OID:
 - “2.16.840.1.113883.6.96” for SNOMED CT-AU and AMT
 - “2.16.840.1.113883.6.1” for LOINC
 - “1.2.36.1.2001.1005.22” for PBS Item Codes
- An HL7 v2 table 396 code:
 - ‘SCT’ for SNOMED CT-AU and AMT
 - ‘LN’ for LOINC
- A URI:
 - <http://snomed.info/sct>
 - <http://loinc.org>
 - <http://pbs.gov.au/code/item>
- A unique coding system namespace or some other coding system identifier defined by a relevant standard or specification or registered with a national or international registry.

Acronyms

Acronym	Description
ACHI	Australian Classification of Health Interventions
AMT	Australian Medicines Terminology
CDA	Clinical Document Architecture: an XML-based mark-up standard intended to specify the encoding, structure and semantics of clinical documents exchanged between healthcare software systems
CTD	customised terminology description
FHIR	fast healthcare interoperability resources
GUI	graphical user interface
HL7	Health Level Seven
ICD	International Statistical Classification of Diseases and Related Health Problems
IHTSDO	International Health Terminology Standards Development Organisation
LDC	locally defined concept
LOINC	Logical Observation Identifiers Names and Codes
NCTS	National Clinical Terminology Service
OID	object identifier
PBS	Pharmaceutical Benefits Scheme
SNOMED CT	Systematized Nomenclature of Medicine – Clinical Terms

Glossary

Term	Meaning
clinical information	Information about a subject of care, relevant to the health or direct treatment of that subject of care that is recorded by or on behalf of a healthcare provider [10].
clinical statement	A discrete clinical record entry.
coding system	A system of code sets, coding standards and code maintenance procedures together with their authorization and governance as a mechanism used to allocate a code to represent a concept, i.e. the design of code in a domain [10]. For the purpose of this document, a coding system refers to nomenclatures such as the AMT, SNOMED CT-AU, PBS Item Codes, LOINC and so on.
coding system indicator	An attribute value or property that uniquely identifies a coding system.
concept	Refers to a clinical meaning or idea. A concept may have a unique numeric identifier (concept identifier). A concept is generally represented by a unique human-readable description. The concept may also be formally defined in terms of its relationship with other concepts.
concept identifier	Refers to a unique identifier within the coding system that identifies a particular concept, and is designated as the value to use to identify concepts when communicating between systems. The registration of the OID or the underlying documentation for the coding system should be used to determine which symbols are designated for this purpose.

Term	Meaning
customised terminology descriptions	Customised terminology description is a description. It refers to an alternative synonym not found in the vocabulary of a particular coding system, but is used within the GUI in order to meet specific usability needs within a given context of a local community of users (for example, short names). The healthcare software system has the coding system implemented as a native interface terminology but does not display the preferred terms in the GUI for some or all implemented concepts. Instead the healthcare software system displays the customised terminology descriptions (CTDs) where required. When recording and storing concepts, the healthcare software system records the concept identifier, description, version and the CTD that was displayed to the user at the time of recording the concept. CTDs have undergone a premeditated development process for the purpose of meeting specific usages and care is taken not to replace or modify the coding system release in any way. The outcome is that each CTD semantically matches the concept's unique and unambiguously defined description (that is, an AMT or SNOMED CT-AU fully specified name (FSN) equivalent), and therefore does not differ in meaning from the concept it describes. The development of CTDs must not be based on other concept descriptions that do not fully describes the concept (for example, alternative synonyms), as this may result in deviating from the true meaning of the concept. Instead the concept's FSN must be used in developing a new CTD for the concept. The notion of CTDs does not refer to the modification of concept descriptions or creation of LDCs at the time of recording clinical statements at runtime.
data field	In the structure of a database, the smallest component under which data is entered through data capture or data entry. It is usually mapped to a corresponding interface element in a GUI that accepts the input in the format of alphanumeric text or binary strings. All data fields in the same database have unique names, several data fields make up a data record, several data records make up a data file, and several data files make up a database.
description	Refers to a name assigned to a concept for the purpose of describing the concept to a human user. Multiple descriptions might be associated with a concept.
expression	A structured combination of one or more concept identifiers used to express an instance of a clinical idea [8].
healthcare software system	A system that deals with the collection, storage, retrieval, communication and use of health related data, and information and knowledge pertaining to subjects of care. The healthcare software system may be a standalone application or may be a combination of integrated systems.
map	An index from one concept to another, sometimes using rules that allow translation from one representation to another indicating degree of equivalence [11].
mapping	A relationship between the code or term used to represent a health concept in one system, and the code or term that would be used to represent the same concept in another coding or terminology system [10].

Term	Meaning
organisation	In the context of this document, it refers to an organisation such as vendors, healthcare providers or health jurisdictions involved in one or more of the following activities: • Development of healthcare software systems. • Development of maps. • Development of AMT or SNOMED CT-AU custom subsets or intentional constraints for native interface terminology. • Integration, implementation or update of coding system data in healthcare software systems.
original text	The original text is the text seen by the user at the time of recording a concept or expression (that is, post-coordinated or free text) in a human-readable format. The original text may take on various forms, depending on the medium through which original text is presented. Regardless of medium, the original text accurately conveys the meaning of the clinical statement as originally intended by the author at the time of recording and storage. In most cases, the original text would be the same as the description, that is, the preferred term (a.k.a. the <i>displayName</i> in CDA) where the user sees and selects a concept from the GUI. Alternatively, the original text would be same as the: • CTD text displayed and selected by the user; • text seen by the user typing a free-formed expression or a post-coordinated expression; or • a combination of a description and user-entered free text. In this case the description (display text or <i>displayName</i>) is different from the original text. The original text is mapped to the <i>originalText</i> element in a CDA document.
post-coordinated expression	Representation of a clinical meaning using a combination of two or more concept identifiers is referred to as post-coordination [8].
preferred term	A concept description that is deemed to be the most clinically appropriate way of expressing a concept in the healthcare software system. SNOMED CT-AU and AMT preferred terms are determined by the <i>acceptabilityId</i> value of '900000000000548007' (that is, 'Preferred') defined in the Australian dialect reference set. The term 'preferred term' may not be used in the context of coding systems other than the AMT and SNOMED CT-AU, but the notion it conveys is extended beyond the AMT and SNOMED CT AU for the purpose of this document.
recording	In the context of this document, recording refers to the action of data entry, by which a user populates a data field with data either by typing text, selecting items from a dropdown or list, importing, copy and paste from an alternative source, and so on. Not to be confused with the storage of data in a healthcare software system.
runtime	The period during which a computer software program is executing.
source coding system	A terminology, coding scheme or classification used as the starting point for map production (in the context of mapping) [11].

Term	Meaning
store, storage or storing	Refers to non-volatile storage of data through the action of keeping data in a location (for example, system database) in such a manner that it can be retrieved by the healthcare software for processing at any time when required. Storing data results in the data being persisted until it gets removed.
synonym	A term that is an acceptable alternative to the preferred term as a way of expressing a concept. Synonyms allow representations of the various ways a concept may be described. Synonyms and preferred terms are not necessarily unique. More than one concept might share the same preferred term or synonym [8].
target coding system	A terminology, coding scheme or classification to which some or all of the concepts in another terminology, coding system or classification (the map source) are mapped [11].
translations	Refers to the encoding of maps in messages or CDA documents.

References

1. Australian Digital Health Agency. *Clinical Terminology - Guidance for People and Processes*. 2018. v1.1. Available from: <https://www.healthterminologies.gov.au/learn?content=documentlibrary>.
2. Australian Digital Health Agency. *Clinical Terminology - Guidance for Use in Healthcare Software*. 2018. v1.1. Available from: <https://www.healthterminologies.gov.au/learn?content=documentlibrary>.
3. Australian Digital Health Agency. *Clinical Terminology - Test Cases for Software and Messaging*. 2018. v1.1. Available from: <https://www.healthterminologies.gov.au/learn?content=documentlibrary>.
4. Health Level Seven. *HL7 Clinical Document Architecture, Release 2*. 2005. HL7 Version 3 Standard. Available from: http://www.hl7.org/implement/standards/product_brief.cfm?product_id=7.
5. Australian Digital Health Agency. *Clinical Information Systems Connecting to the PCEHR System - Conformance Assessment Scheme*. 2012. v1.1. Available from: <https://developer.digitalhealth.gov.au/specifications/national-infrastructure/ep-1481-2012/nehta-1294-2012>.
6. Australian Digital Health Agency. *Implementation Guidance - Representing Coding in CDA Documents*. 2011. v1.0. Available from: <https://developer.digitalhealth.gov.au/specifications/clinical-documents/ep-1094-2011/nehta-1097-2011>.
7. Australian Digital Health Agency. *NCTS Guide for Implementers*. 2017. v1.0. Available from: <https://www.healthterminologies.gov.au/learn?content=documentlibrary>.
8. SNOMED International. *SNOMED CT Technical Implementation Guide*. 2018. Available from: <https://confluence.ihtsdotools.org/display/DOC>.
9. SNOMED International. *SNOMED CT URI Standard*. 2018. Available from: <https://confluence.ihtsdotools.org/display/DOC>.
10. Standards Australia. *The language of health concept representation*. 2005. AS 5021-2005. Available from: <https://infostore.saiglobal.com/en-au/standards/as-5021-2005-r2016--320455/>.
11. Australian Digital Health Agency. *SNOMED CT-AU Mapping Guidelines*. 2014. v2.0. Available from: <https://www.healthterminologies.gov.au/learn?content=documentlibrary>.